

Mallia a wide selection of functions, a modern design

Mallia is a new range of British standard wiring accessories proposing series of large benefits: wide range of functions, innovative and modern style, easy installation, compact mechanism for larger wiring space.

> Wide selection of functions



4 gang one way switch



Do not disturb/Clean up bell push-button




Automatic switch



Socket outlet 13 A single pole, switched

> Compact mechanism



> 3 finishes



White



Silver



Champagne

NEW

Mallia™
single pole switches



2810 00



2812 02



2810 10



2812 16

Conform to BS EN 60669 – 1
Front plates material: Polycarbonate
Supplied with 2 screws M 3.5 for BS boxes
Dim.: 86.5 x 86.5 x 10.5 mm

Single pole switches 10 AX - 250 V

Pack	Cat.Nos		
	● White		
10	2810 00		1 gang - 1 way 1 gang - 2 way 1 gang - intermediate
10	2810 01		
4	2810 08		
10	2810 02		2 gang - 1 way 2 gang - 2 way
10	2810 03		
10	2810 04		3 gang - 1 way 3 gang - 2 way
10	2810 05		
10	2810 06		4 gang - 1 way ⁽¹⁾ 4 gang - 2 way ⁽¹⁾
10	2810 07		
	● Silver	● Champagne	
5	2812 00	2814 00	1 gang - 1 way 1 gang - 2 way 1 gang - intermediate
5	2812 01	2814 01	
4	2812 08	2814 08	
5	2812 02	2814 02	2 gang - 1 way 2 gang - 2 way
5	2812 03	2814 03	
5	2812 04	2814 04	3 gang - 1 way 3 gang - 2 way
5	2812 05	2814 05	
5	2812 06	2814 06	4 gang - 1 way ⁽¹⁾ 4 gang - 2 way ⁽¹⁾
5	2812 07	2814 07	

Single pole switches 10 AX - 250 V (continued)

Pack	Cat.Nos		
	● White		
10	2810 10		1 gang - 1 way 1 gang - 2 way 1 gang - intermediate
10	2810 11		
4	2810 09		
10	2810 12		2 gang - 1 way 2 gang - 2 way
10	2810 13		
10	2810 14		3 gang - 1 way 3 gang - 2 way
10	2810 15		
10	2810 16		4 gang - 1 way ⁽¹⁾ 4 gang - 2 way ⁽¹⁾
10	2810 17		
	● Silver	● Champagne	
5	2812 10	2814 10	1 gang - 1 way 1 gang - 2 way 1 gang - intermediate
5	2812 11	2814 11	
4	2812 09	2814 09	
5	2812 12	2814 12	2 gang - 1 way 2 gang - 2 way
5	2812 13	2814 13	
5	2812 14	2814 14	3 gang - 1 way 3 gang - 2 way
5	2812 15	2814 15	
5	2812 16	2814 16	4 gang - 1 way ⁽¹⁾ 4 gang - 2 way ⁽¹⁾
5	2812 17	2814 17	

(1) Compatible with metal boxes only
For installation fold the lugs of the boxes

Mallia™
push-buttons, single and double switches



2810 40



2812 50



2810 62

Conform to BS EN 60669 - 1. Front plates material : Polycarbonate. Supplied with 2 screws M 3.5 for BS boxes. Dim.: 86.5 x 86.5 x 10.5 mm

Pack	Cat.Nos	Color	Push-buttons 10 A - 250 V
10	2810 41	White	Push-button, N/O contact
10	2810 40	White	Push-button, N/O contact, with bell symbol
5	2812 41	Silver	Push-button, N/O contact
5	2814 41	Champagne	Push-button, N/O contact
5	2812 40	Silver	Push-button, N/O contact, with bell symbol
5	2814 40	Champagne	Push-button, N/O contact, with bell symbol

Pack	Cat.Nos	Color	Single pole switches 20 AX - 250 V
10	2810 50	White	1 gang - 1 way
10	2810 51	White	1 gang - 2 way
4	2810 69	White	1 gang - intermediate
10	2810 52	White	2 gang - 1 way
10	2810 53	White	2 gang - 2 way
10	2810 54	White	3 gang - 1 way ⁽¹⁾
10	2810 55	White	3 gang - 2 way ⁽¹⁾
5	2812 50	Silver	1 gang - 1 way
5	2812 51	Silver	1 gang - 2 way
4	2812 69	Silver	1 gang - intermediate
5	2812 52	Silver	2 gang - 1 way
5	2812 53	Silver	2 gang - 2 way
5	2812 54	Silver	3 gang - 1 way ⁽¹⁾
5	2812 55	Silver	3 gang - 2 way ⁽¹⁾
5	2814 50	Champagne	1 gang - 1 way
5	2814 51	Champagne	1 gang - 2 way
4	2814 69	Champagne	1 gang - intermediate
5	2814 52	Champagne	2 gang - 1 way
5	2814 53	Champagne	2 gang - 2 way
5	2814 54	Champagne	3 gang - 1 way ⁽¹⁾
5	2814 55	Champagne	3 gang - 2 way ⁽¹⁾

Pack	Cat.Nos	Color	Double pole switches 20 AX - 250 V
10	2810 60	White	Equipped with earth link connector 1 gang - 1 way
10	2810 61	White	1 gang - 1 way, with LED power indicator
10	2810 62	White	1 gang - 1 way, with LED power indicator and "WATER HEATER" marking
10	2810 65	White	2 gang - 1 way, with LED power indicator
10	2810 66	White	1 gang - 1 way, with LED power indicator and cable outlet
10	2810 67	White	1 gang - 1 way, with LED power indicator and cable outlet "WATER HEATER" marking
5	2812 60	Silver	1 gang - 1 way
5	2814 60	Champagne	1 gang - 1 way
5	2812 61	Silver	1 gang - 1 way, with LED power indicator
5	2814 61	Champagne	1 gang - 1 way, with LED power indicator
5	2812 62	Silver	1 gang - 1 way, with LED power indicator and "WATER HEATER" marking
5	2814 62	Champagne	1 gang - 1 way, with LED power indicator and "WATER HEATER" marking
5	2812 65	Silver	2 gang - 1 way, with LED power indicator
5	2814 65	Champagne	2 gang - 1 way, with LED power indicator
5	2812 66	Silver	1 gang - 1 way, with LED power indicator and cable outlet
5	2814 66	Champagne	1 gang - 1 way, with LED power indicator and cable outlet
5	2812 67	Silver	1 gang - 1 way, with LED power indicator and cable outlet "WATER HEATER" marking
5	2814 67	Champagne	1 gang - 1 way, with LED power indicator and cable outlet "WATER HEATER" marking

(1) Compatible with metal boxes only
For installation fold the lugs of boxes

NEW

Mallia™

double pole switches, dimmers, fan speed control



2814 72



2812 84



2814 90

Front plates material : Polycarbonate. Supplied with 2 screws M 3.5 for BS boxes. Dim.: 86.5 x 86.5 x 10.5 mm

Pack	Cat.Nos	Double pole switches (continued)
	White	45 A - 250 V Conform to BS EN 60669 - 1
10	2810 71	1 gang - 1 way, with red indicator
10	2810 72	1 gang - 1 way, with red indicator with cooker marking
10	2810 73	2 gang - 1 way vertical switch, with red indicator
	Silver Champagne	
5	2812 71 2814 71	1 gang - 1 way, with red indicator
5	2812 72 2814 72	1 gang - 1 way, with red indicator with cooker marking
5	2812 73 2814 73	2 gang - 1 way vertical switch, with red indicator
	White	Cooker control unit Conform to BS 4177
10	2810 75	45 A DP switch + 13 A switched socket outlet with red indicator
	Silver Champagne	
5	2812 75 2814 75	45 A DP switch + 13 A switched socket outlet with red indicator

Pack	Cat.Nos	Dimmers
	White	
1	2810 80	60-500 W rotary control dimmer for incandescent and halogen lamps 230 V - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 401 39 (p. 458)
1	2810 84	500 W rotary control dimmer + 2 way switch - for incandescent and halogen lamps 230 V
	Silver Champagne	
1	2812 80 2814 80	60-500 W rotary control dimmer for incandescent and halogen lamps 230 V - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 401 39 (p. 458)
1	2812 84 2814 84	500 W rotary control dimmer + 2 way switch - for incandescent and halogen lamps 230 V

Pack	Cat.Nos	Fan speed control
	White	
1	2810 82	5 speed fan control 100 W for fan with overall diameter 48"
	Silver Champagne	
1	2812 82 2814 82	5 speed fan control 100 W for fan with overall diameter 48"

Pack	Cat.Nos	Automatic switch
	White	Automatic switch Automatic switch with infrared movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V Temporization: 20 s - 15 min
1	2810 90	Automatic switch
	Silver Champagne	
1	2812 90 2814 90	Automatic switch

Pack	Cat.Nos	Time delay switch
	White	Time delay switch Adjustable time from 5 min to 12 h Maximum load : 500 W incandescent and halogen lamps 230 V - 250 W fluorescent lamps without capacitor
1	2810 91	Time delay switch
	Silver Champagne	
1	2812 91 2814 91	Time delay switch

Pack	Cat.Nos	Programmable switch
	White	Programmable switch Power supply: 230 V - 50/60 Hz Maximum load: 2 300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact
1	2810 92	Programmable switch
	Silver Champagne	
1	2812 92 2814 92	Programmable switch

Mallia™
switches for hotels, telephone, data and television sockets



2810 48



2812 45



2815 60



2811 51

Front plates material : Polycarbonate
Supplied with 2 screws M 3.5 for BS boxes
Dim.: 86.5 x 86.5 x 10.5 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	White 2810 48	Key card switch, time delay around 30 s
10	2810 45	Do not disturb / Clean up bell push-button
10	2810 46	Do not disturb / Clean up 2 gang switch
1	Silver 2812 48 Champagne 2814 48	Key card switch, time delay around 30 s
5	2812 45 2814 45	Do not disturb / Clean up bell push-button
5	2812 46 2814 46	Do not disturb / Clean up 2 gang switch

Pack	Cat.Nos	Data sockets
10	White 2811 61	RJ 45 Cat 5e UTP
10	2811 62	RJ 45 Cat 6 UTP
10	2811 64	Double RJ 45 Cat 5e UTP
10	2811 65	Double RJ 45 Cat 6 UTP
5	Silver 2813 61 Champagne 2815 61	RJ 45 Cat 5e UTP
5	2813 62 2815 62	RJ 45 Cat 6 UTP
5	2813 64 2815 64	Double RJ 45 Cat 5e UTP
5	2813 65 2815 65	Double RJ 45 Cat 6 UTP

Pack	Cat.Nos	Telephone sockets
10	White 2811 60	1/4 turn, tool-less connector RJ 11 socket - 4 contacts
10	2811 63	Double RJ 11 socket - 4 contacts
5	Silver 2813 60 Champagne 2815 60	RJ 11 socket - 4 contacts
5	2813 63 2815 63	Double RJ 11 socket - 4 contacts

Pack	Cat.Nos	Telephone & data sockets
10	White 2811 66	RJ 11 + RJ 45 socket Cat 5e UTP
5	Silver 2813 66 Champagne 2815 66	RJ 11 + RJ 45 socket Cat 5e UTP

Pack	Cat.Nos	Other telephone sockets
10	White 2811 68	BS master telephone socket
10	2811 69	BS secondary telephone socket
10	2811 70	2A - 3 pin socket
5	Silver 2813 68 Champagne 2815 68	BS master telephone socket
5	2813 69 2815 69	BS secondary telephone socket
5	2813 70 2815 70	2A - 3 pin socket

Pack	Cat.Nos	Television sockets
10	White 2811 51	TV female terminal socket
10	2811 52	TV female F type socket
10	2811 53	TV+FM socket
10	2811 57	TV+FM+SAT socket
5	Silver 2813 51 Champagne 2815 51	TV female terminal socket
5	2813 52 2815 52	TV female F type socket
5	2813 53 2815 53	TV+FM socket
5	2813 57 2815 57	TV+FM+SAT socket

NEW

Mallia™
socket outlets



2811 10



2813 11



2811 28



2811 29

Front plates material : Polycarbonate
Supplied with 2 screws M 3.5 for BS boxes
Dim.: 86.5 x 86.5 x 10.5 mm

Pack	Cat.Nos	Socket outlets 13 A - 250 V
	White	Conform to BS 1363: Part 2 2P+ E British standard
		Unswitched
10	2811 10	1 gang
5	2811 12	2 gang
	Silver Champagne	
5	2813 10 2815 10	1 gang
5	2813 12 2815 12	2 gang
	White	Single pole switched
10	2811 11	1 gang
10	2811 14	1 gang, with red power indicator
5	2811 13	2 gang
5	2811 15	2 gang, with red power indicator
	Silver Champagne	
5	2813 11 2815 11	1 gang
5	2813 14 2815 14	1 gang, with red power indicator
5	2813 13 2815 13	2 gang
5	2813 15 2815 15	2 gang, with red power indicator

Pack	Cat.Nos	Socket outlets 15 A - 250 V
	White	Conform to BS 546 British standard
10	2811 27	1 gang
10	2811 28	1 gang, switched
10	2811 29	1 gang, switched, with red LED power indicator
	Silver Champagne	
5	2813 27 2815 27	1 gang
5	2813 28 2815 28	1 gang, switched
5	2813 29 2815 29	1 gang, switched, with red LED power indicator

Pack	Cat.Nos	Socket outlets 5 A - 250 V
	White	Conform to BS 546 British standard
10	2811 31	1 gang
10	2811 32	1 gang, switched
	Silver Champagne	
5	2813 31 2815 31	1 gang
5	2813 32 2815 32	1 gang, switched

Mallia™

international standard socket outlets, modular mechanisms for socket outlets



2811 00



2813 02



2815 25

Front plates material : Polycarbonate. Supplied with 2 screws M 3.5 for BS boxes. Dim.: 86.5 x 86.5 x 10.5 mm

International standard socket outlets

Pack	Cat.Nos	
10	White 2811 00	Euro-US 10/16 A - 250 V 2P - 1 gang
10	2811 01	2P - 1 gang + 10 A switch
10	2811 02	2P - 2 gang
10	2811 03	2P+E - 1 gang
10	2811 04	2P+E - 2 gang
5	Silver 2813 00 Champagne 2815 00	2P - 1 gang
5	2813 01 2815 01	2P - 1 gang + 10 A switch
5	2813 02 2815 02	2P - 2 gang
5	2813 03 2815 03	2P+E - 1 gang
5	2813 04 2815 04	2P+E - 2 gang
10	White 2811 25	German standard 16 A 250 V 1 gang
5	Silver 2813 25 Champagne 2815 25	1 gang

Socket outlets modular mechanisms

Pack	Cat.Nos	
5	White 2818 55	To be equipped with support frame and plates below British standard - 13 A 250 V~ 1 gang
5	2818 58	1 gang, switched
5	Silver 2818 56 Champagne 2818 57	1 gang
5	2818 59 2818 60	1 gang, switched
8	White 2818 47	Euro - US 2P+E - 1 gang
8	Silver 2818 48 Champagne 2818 49	2P+E - 1 gang
5	White 2818 50	German standard 2P+E - 1 gang
5	Silver 2818 51 Champagne 2818 52	2P+E - 1 gang
5	White 2819 30	Support frame and front plates for modular mechanism socket outlets Fixing screws supplied 2 gang
5	Silver 2819 31 Champagne 2819 32	2 gang

Red catalogue numbers: New products

NEW

Mallia™
fused connection units, cable outlets, shaver sockets, accessories



Material : Polycarbonate. Supplied with 2 screws M 3.5 for BS boxes. Dim.: 86.5 x 86.5 x 10.5 mm

13 A fused connection units

Pack	Cat.Nos	Other functions
10	White 2811 40	Conform to BS 1363: Part 4 Unswitched
10	2811 41	Switched
10	2811 42	Switched with red LED power indicator
5	Silver 2813 40 Champagne 2815 40	Unswitched
5	2813 41 2815 41	Switched
5	2813 42 2815 42	Switched with red LED power indicator

Cable outlets

10	White 2811 47	Conform to BS 5733 20 A
5	2811 48	45 A
5	Silver 2813 47 Champagne 2815 47	20 A
5	2813 48 2815 48	45 A

Shaver sockets

1	White 2811 35	240 V / 120 V - 50/60 Hz
1	Silver 2813 35 Champagne 2815 35	240 V / 120 V - 50/60 Hz

Other functions

Pack	Cat.Nos	Other functions
10	White 2810 97	Downlighter Low output downlighter 230 V~, with LED
5	Silver 2812 97 Champagne 2814 97	Low output downlighter 230 V~, with LED
10	White 2811 90	Blanking plates 1 gang
10	2811 91	2 gang
10	Silver 2813 90 Champagne 2815 90	1 gang
5	2813 91 2815 91	2 gang

Accessories

5	2818 95	Transparent rocker with label holders for switches Can be used instead of the standard rocker plates. Supplied with white labels 1 gang
5	2818 96	2 gang
5	2818 97	3 gang
10	2819 97	Lamps LED 220 V, green low consumption - locator
10	2819 98	LED 220 V, red - high luminosity - indicator

NEW

Mallia™
sound distribution system, plates, surface mounting boxes




2811 82



2811 84



2811 85



2819 01

Supplied with 2 screws M 3.5 for BS boxes
Dim.: 86.5 x 86.5 x 10.5 mm

Pack	Cat.Nos	Sound distribution system
1	White 2811 80	Stand alone system for 1 single room Kit containing 1 mobile power supply, 1 tuner and 2 speakers
1	Silver 2813 80 Champagne 2815 80	Kit containing 1 mobile power supply, 1 tuner and 2 speakers
1	White 2811 81	Configurable system for several rooms Modular power supply 230 V / 15 V - 15 W, 5 modules
1	2811 82	Central unit
1	2811 83	Local control unit with LCD display, child surveillance and intercommunication
1	2811 84	FM tuner with local control unit
1	2811 85	Loudspeaker
1	Silver 2813 82 Champagne 2815 82	Central unit
1	2813 83 2815 83	Local control unit with LCD display, child surveillance and intercommunication
1	2813 84 2815 84	FM tuner with local control unit
1	2813 85 2815 85	Loudspeaker

Pack	Cat.Nos	Plates
10	White 2819 00	1 gang
5	2819 01	2 x 1 gang
10	2819 03	Surrounding frame 1 gang
10	2819 04	Surrounding frame 2 x 1 gang
10	Silver 2819 05 Champagne 2819 10	1 gang
5	2819 06 2819 11	2 x 1 gang
10	2819 08 2819 13	Surrounding frame 1 gang
10	2819 09 2819 14	Surrounding frame 2 x 1 gang

Pack	Cat.Nos	Surface mounting boxes
8	White 2819 88	1 gang: 86 x 86 mm
4	2819 89	2 gang: 86 x 146 mm

Available
September 2007