

# Model™

## selection chart

SWITCHES 10 AX - 250 V		Pack	Cat.Nos	TELEPHONE SOCKETS		Pack	Cat.Nos
1 gang - 1 way		10	6143 20	RJ 11 socket		5	6142 97
1 gang - 2 way		10	6143 21	RJ 12 socket		5	6142 99
1 gang - intermediate switch		10	6143 26	Double RJ 11 socket		5	6142 77
2 gang - 1 way		10	6143 22	BT master		5	6143 72
2 gang - 2 way		10	6143 23	BT secondary		5	6143 73
3 gang - 1 way		10	6143 24	2 A - 3 pins	10	6143 74	
3 gang - 2 way		10	6143 25	<b>DATA SOCKETS</b>			
1 gang - 1 way + neon		10	6143 39	RJ 45 Cat. 5 UTP		5	6142 98
1 gang - 2 way + neon		10	6143 41	Double RJ 45 Cat. 5 UTP		5	6142 78
2 gang - 1 way + neon		10	6143 42	<b>SHAVER SOCKET</b>			
2 gang - 2 way + neon		10	6143 43	240/110 V		1	6142 80
3 gang - 1 way + neon		10	6143 44	<b>SOCKET OUTLETS - BS 13 A - 250 V</b>			
3 gang - 2 way + neon		10	6143 45	1 gang unswitched		10	6142 60
<b>PUSH-BUTTONS 10 A - 250 V</b>			1 gang switched	10		6142 61	
1 gang		10	6143 34	1 gang switched + neon		10	6142 62
1 gang with label holder		10	6143 35	2 gang unswitched		5	6142 63
<b>SWITCHES FOR HOTELS 250 V</b>			2 gang switched	5		6142 64	
Card switch c/w time delay		1	6142 81	2 gang switched + neon		5	6142 65
Do not disturb c/w bell push button		10	6143 31	2 gang switched + neon-red plate	5	6142 66	
Do not disturb/Clean up c/w bell push button		10	6143 32	<b>SOCKET OUTLETS - BS 15 A - 250 V</b>			
Internal switch		10	6143 33	1 gang unswitched		10	6142 69
Do not disturb/Clean up c/w neon		10	6143 33	1 gang switched		10	6142 67
Coded keypad switch 6 A - 250 V		1	6143 99	1 gang switched + neon		10	6142 68
<b>DOUBLE POLE SWITCHES 20 AX - 250 V</b>			<b>SOCKET OUTLETS - BS 5 A - 250 V</b>				
1 gang - 1 way switch with earth connection		10	6142 74	1 gang unswitched		10	6142 56
1 gang - 1 way switch + neon with earth connection		10	6142 75	1 gang switched		10	6142 57
1 gang - 1 way switch + neon + cable outlet		10	6142 84	<b>SOCKET OUTLETS - Euro - US</b>			
1 gang - 1 way switch + neon marked "WATER HEATER" with earth connection		10	6142 85	1 gang unswitched		10	6142 53
1 gang - 1 way switch large rocker + neon		10	6143 46	1 gang switched		10	6142 54
1 gang - 1 way switch large rocker + neon marked "WATER HEATER" with earth connection		10	6143 47	1 gang unswitched twin socket		10	6142 55
<b>DOUBLE POLE SWITCHES 45 A - 250 V</b>			<b>FUSED CONNECTION UNITS WITH 13 A FLEX OUTLET</b>				
1 gang switch		10	6142 88	Unswitched		10	6142 42
1 gang switch + neon		10	6142 87	Switched		10	6142 43
2 gang switch + neon and 13 A switched socket outlet + neon		5	6142 89	Switched + neon		10	6142 46
2 gang vertical switch + neon		5	6142 86	<b>CABLE OUTLETS</b>			
<b>DIMMERS</b>			Connection unit 20 A - 250 V		10	6143 58	
250 W - 2 way switched dimmer		1	6142 25		Cable outlet	10	6142 96
500 W - 2 way switched dimmer		1	6142 26	<b>BLANKING PLATE</b>			
500 W - double switched dimmer		1	6142 28	1 gang		20	6143 60
500 W - rotary dimmer (push/push)		1	6143 05	2 gang		10	6143 61
500 W sensor dimmer		1	6143 16	<b>COVER PLATES</b>			
<b>VENTILATION CONTROL SWITCHES</b>			White - 1 gang		5	6144 00	
400 VA - switched		1	6142 24		White - 2 gang	5	6144 01
400 VA - rotary (push/push)		1	6143 11		Gold - 1 gang	5	6144 10
3 positions control - 10 A		1	6142 33		Gold - 2 gang	5	6144 20
<b>INFRARED DETECTOR</b>			Aluminium - 1 gang		5	6144 11	
Switch 25 W - 200 W (max)		1	6143 96		Aluminium - 2 gang	5	6144 21
<b>TV SOCKETS</b>			Steel - 1 gang		5	6144 12	
TV socket - female		10	6142 91		Steel - 2 gang	5	6144 22
TV socket - type F		10	6142 92		Anthracite - 1 gang	5	6144 13
TV - FM - female		10	6142 93		Anthracite - 2 gang	5	6144 23
Double TV socket - female		10	6142 94	Bronze - 1 gang	5	6144 14	
				Bronze - 2 gang	5	6144 24	
				Copper - 1 gang	5	6144 15	
				Copper - 2 gang	5	6144 25	

# Milac™

single pole switches, double pole switches, push-buttons



6132 03



6132 05



6132 07



6132 30



6132 87



6132 89



6132 86

Conform to BS EN 60669-1 & SASO No LIC 203182

Colour: White RAL 9010 for plates and rockers

Grey RAL 7016 for back parts

Material: Polycarbonate

Dimensions: 86.5 x 86.5 x 9 mm (1 gang)

86.5 x 146.5 x 9 mm (2 gang)

Supplied with 2 screws M3.5 for BS boxes and 2 screw caps

Pack	Cat.Nos	Switches 10 AX - 250 V~
10	6132 00	1 gang - 1 way switch
10	6132 01	1 gang - 2 way switch
10	6132 16	1 gang - intermediate switch
10	6132 02	2 gang - 1 way switch
10	6132 03	2 gang - 2 way switch
10	6132 04	3 gang - 1 way switch
10	6132 05	3 gang - 2 way switch
10	6132 06	4 gang - 1 way switch
10	6132 07	4 gang - 2 way switch
5	6132 10	6 gang - 1 way switch
5	6132 11	6 gang - 2 way switch
10	6132 12	1 gang - 1 way switch + neon
10	6132 13	1 gang - 2 way switch + neon
10	6132 14	2 gang - 1 way switch + neon
10	6132 15	2 gang - 2 way switch + neon

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
10	6133 40	1 gang - 1 way switch
10	6133 41	1 gang - 2 way switch
10	6133 42	2 gang - 1 way switch
10	6133 43	2 gang - 2 way switch

Pack	Cat.Nos	Push-button 2A - 250 V~
10	6132 30	Push-button with Bell symbol

Pack	Cat.Nos	Double pole switches
Conform to BS EN 60669-1-8 SASO No LIC 203182		
<b>20 AX - 250 V~</b>		
10	6132 78	1 gang - 1 way switch with earth connection
10	6132 79	1 gang - 1 way switch + neon with earth connection
10	6132 84	1 gang - 1 way switch + neon + cable outlet
10	6132 81	1 gang - 1 way switch + neon + cable outlet with earth connection
10	6132 85	1 gang - 1 way switch + neon, marked "WATER HEATER" with earth connection
<b>45 A - 250 V~</b> Laser front marking "ON OFF"		
10	6132 88	1 gang - switch + neon
10	6132 87	1 gang - switch
5	6132 89	2 gang - switch + neon and 13 A switched socket outlet + neon
5	6132 86	2 gang - vertical switch + neon

# Milac™

dimmers, television, telephone and data sockets



6132 25



6132 27



6133 07



6132 24



6132 91



6132 93



6132 96



6132 97

Colour: White RAL 9010 for plates and rockers  
Grey RAL 7016 for back parts

Material: Polycarbonate

Dimensions: 86.5 x 86.5 x 9 mm (1 gang)  
86.5 x 146.5 x 9 mm (2 gang)

Supplied with 2 screws M3.5 for BS boxes and 2 screw caps

Pack	Cat.Nos	Dimmers
		50/60 Hz - 220/240 V
		<b>Switched dimmers</b>
1	6132 25	250 W - 2 way
1	6132 26	500 W - 2 way
		<b>Double switched dimmers</b>
1	6132 27	250 W
1	6132 28	500 W
		<b>Rotary dimmers (push/push)</b>
1	6133 05	500 W
1	6133 07	1000 W
		<b>Sensor dimmers</b>
1	6133 16	500 W

Pack	Cat.Nos	Ventilation controls
1	6132 24	400 VA switched
1	6133 11	400 VA rotary (push/push)
1	6132 33	3 positions

Pack	Cat.Nos	TV sockets
10	6132 91	TV socket - female
10	6132 92	TV socket - type "F"
10	6132 93	TV/FM socket - female
10	6132 94	Double TV socket - female

Pack	Cat.Nos	Telephone sockets
10	6132 96	2 A - 3 pins
5	6132 97	RJ 11
5	6132 76	BT - single master
5	6132 99	RJ 12
5	6132 77	BT - single secondary

Pack	Cat.Nos	Data socket
		RJ 45 - Cat. 5
5	6132 98	UTP

Pack	Cat.Nos	Shaver socket
1	6132 80	Conform to BS EN 60 742 Flush-mounting back box to be min 45 mm deep 240/110 V~

# Milac™

socket outlets, fused connection units, cable outlets



6132 65



6132 67



6132 54



6132 42

Colour: White RAL 9010 for plates and rockers  
Grey RAL 7016 for back parts

Material: Polycarbonate

Dimensions: 86.5 x 86.5 x 9 mm (1 gang)  
86.5 x 146.5 x 9 mm (2 gang)

Supplied with 2 screws M3.5 for BS boxes and 2 screw caps

Pack	Cat.Nos	Socket outlets - British Standard
		<b>13 A - 250 V~</b> Conform to BS 1363, 1995, SASO No LIC 203181
10	6132 60	1 gang - unswitched
10	6132 61	1 gang - switched
10	6132 62	1 gang - switched + neon
5	6132 63	2 gang - unswitched
5	6132 64	2 gang - switched
5	6132 65	2 gang - switched + neon
5	6132 66	2 gang - switched + neon - red plate
		<b>15 A - 250 V~</b> Conform to BS 546
10	6132 69	1 gang - unswitched
10	6132 67	1 gang - switched
10	6132 68	1 gang - switched + neon
		<b>5 A - 250 V~</b> Conform to BS 546
10	6132 56	1 gang - unswitched
10	6132 57	1 gang - switched


Pack	Cat.Nos	Socket outlets - Euro/US 10/16 A - 250 V~
		Shuttered for child protection
10	6132 53	1 gang - unswitched
10	6132 54	1 gang - switched
10	6132 55	1 gang - unswitched + twin socket
		<b>Fused connection units</b> Conform to BS 1362 pt. 4 1995
10	6132 42	Unswitched
10	6132 43	Switched
10	6132 46	Switched + neon
		<b>Cable outlets</b> Conform to BS 5733
10	6133 58	20 A - 250 V~
5	6133 59	45 A - 250 V~

# Milac™

switch units, cover plates




6134 20



6134 24



6134 25



6134 16



6133 52

Pack	Cat.Nos	Switch units	
		Conform to SASO No LIC 203182	
10	6134 20		10 AX - 1 way
10	6134 21		10 AX - 2 way
10	6134 19		10 AX - 1 way - red rocker
10	6134 23		20 AX - double pole
10	6134 24		Neon light unit
10	6134 25		2 A - bell push-button
<b>Fixing accessories</b>			
100	6134 04		Screw cap
100	6134 07		Special screw for switch unit locking

Pack	Cat.Nos	Cover plates	
		Conform to SASO No LIC 203182	
		Material: Polycarbonate	
		Dimensions: 1 gang: 86.5 x 86.5 x 9 mm	
		2 gang: 86.5 x 146.5 x 9 mm	
		Supplied with 2 screws M3.5 for BS boxes and 2 screw caps	
<b>Plates</b>			
10	6134 11		1 gang - 1 small aperture
10	6134 12		1 gang - 2 small apertures
10	6134 13		1 gang - 3 small apertures
10	6134 14		1 gang - 4 small apertures
5	6134 16		2 gang - 6 small apertures
10	6138 01		1 gang - waterproof receptacle
<b>Blanking plates</b>			
10	6133 60		1 gang
5	6133 61		2 gang

Pack	Cat.Nos	Surface mounting boxes	
		Conform to BS 5733	
		depth 35 mm	
8	6133 50		1 gang - 86 x 86 mm
4	6133 51		2 gang - 86 x 146 mm
4	6133 52		2 x 1 gang - 86 x 172 mm



**World Headquarters and  
International Department  
87045 LIMOGES CEDEX FRANCE**

☎ : 33 5 55 06 87 87

Fax : 33 5 55 06 74 55