



CATALOGUE

2007-2008

PRODUCTS AND SYSTEMS  
FOR ELECTRICAL INSTALLATIONS  
AND INFORMATION NETWORKS



# British standard wiring accessories

Synergy™	<b>P. 464</b> Synergy white switches, dimmers, sockets	<b>P. 468</b> Synergy white accessories, surface mounting boxes, plates	<b>P. 470</b> Synergy Modern, silver, nickel, black nickel, matt black and brushed gold	<b>P. 480</b> Synergy Modern plates for Mosaic modules and Grid system	<b>P. 483</b> Synergy Rope edge switches, dimmers sockets
	<b>P. 487</b> Synergy Rope edge plates for Mosaic modules and Grid system	<b>P. 489</b> Synergy Traditional, brushed steel, polished steel, satin brass	<b>P. 498</b> Synergy Traditional plates for Mosaic modules and Grid system	<b>P. 500</b> Synergy Metalclad surface mounting switches and sockets	<b>P. 504</b> Synergy Grid system for Mosaic modules, selection chart
	<b>P. 506</b> Synergy Grid modules	<b>P. 509</b> Synergy Grid system for Grid modules, selection chart			
Mallia™	<b>P. 511</b> Mallia switches	<b>P. 514</b> Mallia switches for hotels, telephone, data and TV sockets	<b>P. 515</b> Mallia socket outlets	<b>P. 518</b> Mallia sound distribution system, plates	
	<b>P. 519</b> Model selection chart	<b>P. 520</b> Milac switches	<b>P. 522</b> Milac socket outlets	<b>P. 523</b> Milac cover plates, surface mounting boxes	
Model™ Milac™					



**Synergy**  
Modern brushed gold single pole switches 20 AX (p. 471)



**Synergy**  
Metalclad surface mounting wiring devices (p. 500)



**Mallia**  
(p. 511)

## New in 2007



# Synergy form and function in perfect harmony

Synergy creates highly evolved solutions for today's demanding markets, in terms of colour, style and in the same time in terms of complete offer of functions



### > Choice of finishes

Synergy offers four different styles: Modern, Traditional, Rope edge and Metalclad. Each style offers different colours and finishes




White




### > Grid system and Mosaic grid system

Synergy has been designed as a complete solution. The Grid system is not a stand alone selection of wiring accessories, it is a fully integrated part of each and every Synergy finish. As second option, four different clip-on cover plates can be easily equipped with Mosaic modules obtaining an unrivalled selection of functions.



### > Quality and innovation... whichever way you look at it



# Synergy™ white



7300 00



7300 02



7300 06



7301 56

Front plates: white thermoset  
Terminal screws captive and backed off ready for cabling  
Supplied with faceplate screw caps  
Surface mounting boxes (see p. 468)

Pack	Cat.Nos	Single pole plate switches 10 AX - 250 V
		Conform to BS EN 60669-1 For flush mounting, back box to be min. 16 mm deep ASTA licence
		<b>Nominal plate dimensions: 86 x 86 mm</b>
10	7300 00	1 gang - 1 way
10	7300 01	1 gang - 2 way
10	7300 05	1 gang - intermediate
10	7300 24	2 gang - 1 way
10	7300 02	2 gang - 2 way
10	7301 24	3 gang - 1 way
10	7300 03	3 gang - 2 way
		<b>Nominal plate dimensions: 86 x 146 mm</b>
5	7300 04	4 gang - 2 way
5	7300 06	6 gang - 2 way

Pack	Cat.Nos	Single pole key switch 10 AX - 250 V
		Conform to BS EN 60669-1: 2000 Key supplied Flush-mounting, back box: min. 16 mm deep
10	7300 08	1 gang - 2 way <b>Nominal plate dimensions: 86 x 86 mm</b>

Pack	Cat.Nos	Single pole plate switches 20 AX - 250 V
		Conform to BS EN 60669-1 For flush mounting, back box to be min. 16 mm deep
		<b>Nominal plate dimensions: 86 x 86 mm</b>
10	7301 30	1 gang - 1 way
10	7301 31	1 gang - 2 way
10	7301 34	2 gang - 1 way
10	7301 32	2 gang - 2 way
10	7301 35	3 gang - 1 way
10	7301 33	3 gang - 2 way

Pack	Cat.Nos	Single pole push switches 10 A - 250 V
		Conform to BS EN 60669-1 For flush mounting, back box to be min. 16 mm deep ASTA licence
		<b>Nominal plate dimensions: 86 x 86 mm</b>
5	7300 07	1 gang - 2 way push switch
5	7300 11	1 gang - 2 way push switch marked "PRESS"
5	7301 07	1 gang - 2 way push switch with bell symbol

Pack	Cat.Nos	Push on/off rotary dimmers 400 W 100 - 240 V - 50/60 Hz
		Conform to BS EN 60669-1 For flush mounting, back box to be min. 25 mm deep
		<b>Nominal plate dimensions: 86 x 86 mm</b>
1	7301 56	1 gang - 2 way
1	7301 57	2 gang - 2 way
		<b>Nominal plate dimensions: 86 x 146 mm</b>
1	7300 49	4 gang - 2 way

# Synergy™

white (continued)



7301 10



7300 22



7300 50



7300 57



7300 43

Front plates: white thermoset  
Terminal screws captive and backed off ready for cabling  
Supplied with faceplate screw caps  
Surface mounting boxes (see p. 468)

Pack	Cat.Nos	Double pole switches 20 A - 250 V
		Conform to BS EN 60669-1 For flush mounting, back box to be min. 25 mm deep Use cord outlet accessory box Cat.No 7300 53 for external cord outlet ASTA licence
		<b>Nominal plate dimensions: 86 x 86 mm</b>
10	7300 10	DP switch
10	7300 12	DP switch + red LED power indicator
10	7301 10	DP switch marked "WATER HEATER"
10	7301 12	DP switch marked "WATER HEATER" + red LED power indicator

Pack	Cat.Nos	Telephone sockets
		For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b>
10	7300 50	UK master
10	7300 51	UK secondary
10	7300 54	RJ 11/RJ 12 - single

Pack	Cat.Nos	Data sockets - Cat. 6
		Rapid cable connection For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b>
1	7300 56	RJ 45 - single
1	7300 57	RJ 45 - twin

Pack	Cat.Nos	Double pole switches 45 A - 250 V
		Conform to BS EN 60669-1 For flush mounting, back box to be min. 45 mm deep ASTA licence
		<b>Nominal plate dimensions: 86 x 86 mm</b>
10	7300 22	DP switch
10	7300 23	DP switch + red LED power indicator
10	7301 22	DP switch red rocker marked "COOKER"
		<b>Nominal plate dimensions: 146 x 86 mm</b>
5	7300 20	DP switch
5	7300 21	DP switch + red LED power indicator
5	7301 20	DP switch red rocker marked "COOKER"

Pack	Cat.Nos	TV + FM + SAT sockets
		For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> Screened
10	7300 40	TV socket single - male
10	7301 40	Screened TV socket single - female
10	7301 44	Screened TV socket single pass through - female
10	7301 45	Screened TV socket single terminal - female
1	7300 41	SAT socket single - "F" type
10	7300 42	TV + FM socket
1	7300 43	TV + FM + SAT socket "F" type
		<b>Nominal plate dimensions: 86 x 146 mm</b>
1	7300 44	Triplex TV + FM + SAT + telephone socket

# Synergy™

white (continued)



7300 65



7300 60



7300 70



7300 89



7300 69

Front plates: white thermoset. Terminal screws captive and backed off ready for cabling  
Supplied with faceplate screw caps. Surface mounting boxes (see p. 468)

Pack	Cat.Nos	Socket outlets 13 A - 250 VA
		Conform to BS 1363: Part. 2 For flush mounting, back box to be min. 25 mm deep Nominal plate dim.: 1 gang: 86 x 86 mm 2 gang: 86 x 146 mm
		ASTA licence
		<b>Unswitched</b>
10	7300 65	1 gang
5	7300 75	2 gang
		<b>Single pole - switched</b> Fitted with traditional earth pin release shutter and single earth terminal
10	7300 66	1 gang
5	7300 76	2 gang

Pack	Cat.Nos	Double pole socket outlets 13 A - 250 V
		Conform to BS 1363: Part. 2 Patented 3 pin safety shutters mechanism 2 earth terminals For flush mounting, back box to be min. 25 mm deep Switched ASTA licence
		<b>Nominal plate dimensions: 86 x 86 mm</b>
10	7300 60	1 gang
10	7300 61	1 gang with red LED power indicator
10	7300 64	1 gang for standard and clean earth applications
5	7301 62	1 gang with red rocker
		<b>Nominal plate dimensions: 86 x 146 mm</b>
5	7300 70	2 gang
5	7300 71	2 gang with red LED power indicator
5	7300 74	2 gang for standard and clean earth applications
10	7301 61	2 gang with red rocker

Pack	Cat.Nos	Socket outlets 13 A - 250 V Special earth pin
		For flush mounting, back box to be min. 25 mm deep Nominal plate dim.: 1 gang: 86 x 86 mm 2 gang: 86 x 146 mm
		<b>Single pole</b>
5	7391 00	1 gang switched
		<b>Double pole</b>
10	7300 67	1 gang switched
5	7300 77	2 gang switched
		<b>Socket outlets 15 A - 250 V</b> Conform to BS 546 Patented 3 pin safety shutters mechanism For flush mounting, back box to be min. 35 mm deep
		<b>Nominal plate dimensions: 86 x 86 mm</b>
10	7300 88	1 gang - unswitched
10	7300 89	1 gang - switched, single pole

Pack	Cat.Nos	Sockets outlets 15 A - 127 V - SASO
		Conform to SASO No LIC 203182 Standard terminal screws For flush mounting, back box to be min. 35 mm deep
		<b>Unswitched</b>
10	7300 85	1 gang - 86 x 86 mm
5	7300 86	2 gang - 86 x 146 mm

Pack	Cat.Nos	Socket outlets 5 A - 250 V ~
		Conform to BS 546 Patented 3 pin safety shutter mechanism For flush mounting, back box to be min. 25 mm deep
		<b>Nominal plate dimensions: 86 x 86 mm</b>
10	7300 68	1 gang - unswitched
10	7300 69	1 gang - switched, single pole

# Synergy™

white (continued)



7300 84



7300 80



7300 83



7300 87



7300 26

Front plates: white thermoset. Terminal screws captive and backed off ready for cabling  
Supplied with faceplate screw caps. Surface mounting boxes (see p. 468)

Pack	Cat.Nos	Socket outlet 2 A - 250 V~
10	7300 59	Conform to BS 546 For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> 1 gang - unswitched



Pack	Cat.Nos	Socket outlet combined UK / Euro - US 13 A - 10/16 A
10	7300 84	For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> 1 gang - unswitched UK - 13 A / EURO-US - 10/16 A - 250 V



Pack	Cat.Nos	Socket outlets Euro - US
10	7300 80	For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> 10 A - 127 V 16 A - 250 V 1 gang - unswitched
10	7300 81	2 gang - unswitched
10	7300 82	1 gang - switched
10	7300 83	1 gang - unswitched + 10 AX 1 way switch



Pack	Cat.Nos	Socket outlet 10/16 A - 250 V~ German standard
10	7300 87	For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> 1 gang - unswitched



Pack	Cat.Nos	Shaver socket
1	7300 90	Conforms to BS EN 61558-2-5 Suitable for use with European, British and Australian 2 pin plugs Rating: 20 VA IP 24 Screwless live and neutral terminals For flush mounting, back box to be min. 45 mm deep <b>Nominal plate dimensions: 146 x 86 mm</b> 240 V - 120 V~ - 50/60 Hz



Pack	Cat.Nos	Cooker control units 250 V
5	7300 28	Conform to BS 4177 For flush mounting, back box to be min. 45 mm deep <b>Nominal plate dimensions: 86 x 146 mm</b> 45 A DP switch + 13 A DP switched socket outlet
5	7300 29	45 A DP switch + 13 A DP switched socket outlet + red LED power indicator




Pack	Cat.Nos	Fused connection units 13 A - 250 V~
10	7300 32	Conform to BS 1363: Part 4 Fused 13 A (fuse supplied) Front cable outlet with cord grip Locked captive fuse carrier (padlockable) For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> <b>Unswitched</b> With cord outlet
10	7300 33	With red LED power indicator
10	7300 36	<b>Double pole switched</b> With cord outlet
10	7300 37	With red LED power indicator and cord outlet
10	7301 39	With cord outlet and marked "WATER HEATER"



Pack	Cat.Nos	Cable outlets
10	7300 19	Conform to BS 5733 Fitted with cable clamp and outlet membrane <b>Nominal plate dimensions: 86 x 86 mm</b> <b>20 A - 250 V</b> For flush mounting, back box to be min. 35 mm deep With terminal block
5	7300 26	<b>45 A - 250 V</b> For flush mounting, back box to be min. 45 mm deep With terminal block



# Synergy™ white (continued)



Material: white thermoset

Pack	Cat.Nos	Accessories
10	7300 95	<b>Blanking plates</b> 1 gang - 86 x 86 mm
10	7300 96	2 gang - 86 x 146 mm
10	7301 58	<b>Electronic LED</b> All relevant Synergy functions are designed to accept the LED packs for fitting at time of installation or retrospectively by qualified person Can be used with fluorescent light Electronic LED locator pack green diodes: max. current 0.2 mA provides illumination to locate function such as switches in low light
10	7300 58	Electronic LED power indicator pack red diodes: nominal current 2 mA provides indication of "power on" condition in such functions as sockets and control switches
10	7300 53	<b>Cord outlet</b> 1 gang box 86 x 86 mm
10	7364 06	<b>Surface mounting moulded boxes</b> Dim.: 1 gang 86 x 86 mm 2 gang 86 x 146 mm 2 x 1 gang 86 x 172 mm 1 gang, 35 mm deep
10	7364 07	1 gang, 50 mm deep and cable grip
5	7364 10	2 gang, 35 mm deep
5	7364 11	2 gang, 50 mm deep and cable grip
5	7364 13	2 x 1 gang, 35 mm deep

# Synergy™ white - for Mosaic Grid system




Selection chart (p. 504)

Pack	Cat.Nos	Carrier plates for Mosaic modules
10	7300 91	Can be directly equipped with Mosaic modules No additional yoke required <b>Nominal plate dimensions: 86 x 86 mm</b> 1 gang - for 1 Mosaic module
10	7300 92	1 gang - for 2 Mosaic modules <b>Nominal plate dimensions: 86 x 146 mm</b>
10	7300 93	2 gang - for 3 Mosaic modules
10	7300 94	2 gang - for 4 Mosaic modules
10	7301 88	<b>Front plates for Mosaic modules</b> To be equipped with yokes below 2 x 2 gang - for 8 Mosaic modules 146 x 207 mm
1	7301 90	3 x 3 gang - for 18 Mosaic modules 207 x 267 mm
10	7354 74	<b>Yokes for Mosaic front plates</b> 2 gang - 4 Mosaic modules Use 2 yokes for 2 x 2 gang front plates Cat.No 7301 88
15	7354 76	3 gang - 6 Mosaic modules Use 3 yokes for 3 x 3 gang front plates Cat.No 7301 90



# Synergy™

white - for Grid system



Selection chart (p. 509)  
Grid modules (p. 506-507)

Pack	Cat.Nos	Front plates for Grid modules
		Material: white thermoset To equipped with additional yokes (p. 508)
10	7301 80	<b>Architrave</b> 1 gang 36.4 x 86 mm
10	7301 81	2 gang 36.4 x 146.3 mm
10	7301 91	<b>1 gang</b> 1 small aperture 86 x 86 mm
10	7301 92	2 small apertures 86 x 86 mm
10	7301 93	<b>2 gang</b> 3 small apertures 86 x 146 mm
10	7301 94	4 small apertures 86 x 146 mm
10	7301 82	<b>2 x 2 gang</b> 6 small apertures 146 x 146 mm
10	7301 83	8 small apertures 146 x 146 mm

Pack	Cat.Nos	Front plates for Grid modules (continued)
		Material: painted stainless steel To equipped with additional yokes (p. 508)
1	7301 84	<b>3 x 2 gang</b> 9 small apertures 207 x 146 mm
1	7301 85	12 small apertures 207 x 146 mm
1	7301 86	<b>3 x 3 gang</b> 18 small apertures 267 x 207 mm
1	7301 87	<b>4 x 3 gang</b> 24 small apertures 267 x 207 mm

**Yokes for grid modules** (p. 508)

# A perfect match for any environment



Sumptuously designed to blend perfectly into any contemporary surrounding, the Modern range includes a whole best of innovative features that help create relaxing environments where everyone feels at home.



Modern Silver



Modern Nickel



Modern Black Nickel



Modern Matt Black



Modern Brushed Gold

Synergy™ Modern

**NEW**



7310 00



7310 02



7314 03

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos		Single pole switches 10 AX - 250 V
			Conform to BS EN 60669-1 For flush mounting, back box to be min. 16 mm deep
			<b>Nominal plate dimensions: 89 x 89 mm</b>
			1 gang - 1 way 1 gang - 2 way 1 gang - intermediate
1	7310 00	7312 00	
1	7310 01	7312 01	
1	7310 05	7312 05	
1	7310 02	7312 02	2 gang - 2 way
1	7310 03	7312 03	3 gang - 2 way
			Black Nickel Matt Black
1	7314 00	7316 00	1 gang - 1 way 1 gang - 2 way 1 gang - intermediate
1	7314 01	7316 01	
1	7314 05	7316 05	
1	7314 02	7316 02	2 gang - 2 way
1	7314 03	7316 03	3 gang - 2 way
			Brushed Gold
1	7318 00	7318 00	1 gang - 1 way 1 gang - 2 way 1 gang - intermediate
1	7318 01	7318 01	
1	7318 05	7318 05	
1	7318 02	7318 02	2 gang - 2 way
1	7318 03	7318 03	3 gang - 2 way
			Silver Nickel
1	7310 04	7312 04	<b>Nominal plate dimensions: 89 x 149 mm</b> 4 gang - 2 way
			Black Nickel Matt Black
1	7314 04	7316 04	4 gang - 2 way
			Brushed Gold
1	7318 04	7318 04	4 gang - 2 way

**NEW**

**Synergy™**  
Modern (continued)



7311 31



7313 32



7319 31



7310 07

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Single pole switches 20 AX - 250 V
1	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Silver 7311 31                 </div> <div style="text-align: center;">  Nickel 7313 31                 </div> </div>	<p>Conform to BS EN 60669-1 For flush mounting, back box to be min. 16 mm deep</p> <p><b>Nominal plate dimensions: 89 x 89 mm</b></p> <p>1 gang - 2 way</p>
1	7311 32 7313 32	2 gang - 2 way
1	7311 33 7313 33	3 gang - 2 way
	<div style="border: 1px solid black; padding: 2px; transform: rotate(-45deg); display: inline-block;">Available January 2008</div>	
1	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Black Nickel 7315 31                 </div> <div style="text-align: center;">  Matt Black 7317 31                 </div> </div>	1 gang - 2 way
1	7315 32 7317 32	2 gang - 2 way
1	7315 33 7317 33	3 gang - 2 way
1	<div style="text-align: center;">  Brushed Gold 7319 31                 </div>	1 gang - 2 way
1	7319 32	2 gang - 2 way
1	7319 33	3 gang - 2 way

Pack	Cat.Nos	Single pole push switches 10 A - 250 V
1	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Silver 7310 07                 </div> <div style="text-align: center;">  Nickel 7312 07                 </div> </div>	<p>Conform to BS EN 60669-1 For flush mounting, back box to be min. 16 mm deep</p> <p><b>Nominal plate dimensions: 89 x 89 mm</b></p> <p>1 gang - 2 way push switch</p>
	<div style="border: 1px solid black; padding: 2px; transform: rotate(-45deg); display: inline-block;">Available January 2008</div>	
1	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Black Nickel 7314 07                 </div> <div style="text-align: center;">  Matt Black 7316 07                 </div> </div>	1 gang - 2 way push switch
1	<div style="text-align: center;">  Brushed Gold 7318 07                 </div>	1 gang - 2 way push switch

**Synergy™**  
Modern (continued)



7313 57



7310 12



7316 14

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Push on/off rotary dimmers 400 W 100 - 240 V - 50/60 Hz
		Conform to BS EN 60669-1-2 For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 89 x 89 mm</b>
1	Silver 7311 56 Nickel 7313 56	1 gang - 2 way
1	7311 57 7313 57	2 gang - 2 way
		<b>Available January 2008</b>
1	Black Nickel 7314 46 Matt Black 7316 46	1 gang - 2 way
1	7314 47 7316 47	2 gang - 2 way
1	Brushed Gold 7318 46	1 gang - 2 way
1	7318 47	2 gang - 2 way

Pack	Cat.Nos	Double pole switches 20 A - 250 V
		Conform to BS EN 60669-1 For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 89 x 89 mm</b>
1	Silver 7310 10 Nickel 7312 10	DP switch
1	7310 14 7312 14	DP switch + cord outlet
1	7310 16 7312 16	DP switch + cord outlet + red LED power indicator
1	7310 12 7312 12	DP switch + red LED power indicator
		<b>Available January 2008</b>
1	Black Nickel 7314 10 Matt Black 7316 10	DP switch
1	7314 14 7316 14	DP switch + cord outlet
1	7314 16 7316 16	DP switch + cord outlet + red LED power indicator
1	7314 12 7316 12	DP switch + red LED power indicator
1	Brushed Gold 7318 10	DP switch
1	7318 14	DP switch + cord outlet
1	7318 16	DP switch + cord outlet + red LED power indicator
1	7318 12	DP switch + red LED power indicator

# Synergy™ Modern (continued)



7312 22



7318 09



7310 50



7312 56

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Double pole switches 45 A - 250 V
1	Silver 7310 22   Nickel 7312 22	Conform to BS EN 60669-1 For flush mounting, back box to be min. 45 mm deep Red rockers <b>Nominal plate dimensions: 89 x 89 mm</b> DP switch
1	7310 23   7312 23	DP switch + red LED
1	Black Nickel 7314 22   Matt Black 7316 22	DP switch
1	7314 23   7316 23	DP switch + red LED
1	Brushed Gold 7318 22	DP switch
1	7318 23	DP switch + red LED

Pack	Cat.Nos	Isolator switches 10 A - 250 V
1	Silver 7310 09   Nickel 7312 09	Conform to BS EN 60947-3: 1992 Switch locking feature For flush mounting, back box to be min. 16 mm deep White rocker <b>Nominal plate dimensions: 89 x 89 mm</b> 3 pole isolator switch
1	Black Nickel 7314 09   Matt Black 7316 09	3 pole isolator switch
1	Brushed Gold 7318 09	3 pole isolator switch

Pack	Cat.Nos	Telephone sockets
1	Silver 7310 50   Nickel 7312 50	For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 89 x 89 mm</b> UK master
1	7310 51   7312 51	UK secondary
1	7310 54   7312 54	RJ 11 / RJ 12 - single
1	Black Nickel 7314 50   Matt Black 7316 50	UK master
1	7314 51   7316 51	UK secondary
1	7314 54   7316 54	RJ 11 / RJ 12 - single
1	Brushed Gold 7318 50	UK master
1	7318 51	UK secondary
1	7318 54	RJ 11 / RJ 12 - single

Pack	Cat.Nos	Data sockets Cat. 6
1	Silver 7310 56   Nickel 7312 56	Rapid cable connection For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 89 x 89 mm</b> RJ 45 - single
1	7310 57   7312 57	RJ 45 - twin
1	Black Nickel 7314 56   Matt Black 7316 56	RJ 45 - single
1	7314 57   7316 57	RJ 45 - twin
1	Brushed Gold 7318 56	RJ 45 - single
1	7318 57	RJ 45 - twin

**Synergy™**  
Modern (continued)



6338 62



6338 59



7316 42



7318 43

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Sound distribution system
	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <span style="color: grey;">●</span> Silver 6338 52                 </div> <div style="text-align: center;"> <span style="color: grey;">●</span> Nickel 6338 62                 </div> </div>	Nominal plate dimensions: 89 x 149 mm Screened
1	6338 52   6338 62	Touch volume control
1	6338 49   6338 59	Local input
1	6338 43	6.5" in-ceiling round speaker (pair)
1	6338 44	Dual voice coil speaker
1	6338 48	RCA - Triple source input
1	6338 53	4 source, 8 zone audio module
1	6338 41	24 V DC Power Supply (Audio module)
1	6338 01	Home Network enclosure
1	6338 50	Remote control

Pack	Cat.Nos	TV + FM + SAT sockets
	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <span style="color: grey;">●</span> Silver 7310 40                 </div> <div style="text-align: center;"> <span style="color: grey;">●</span> Nickel 7312 40                 </div> </div>	For flush mounting, back box to be min. 35 mm deep Screened <b>Nominal plate dimensions: 89 x 89 mm</b>
1	7310 40   7312 40	TV socket single - male
1	7310 41   7312 41	SAT socket single - "F" type
1	7310 42   7312 42	TV + FM socket
1	7310 43   7312 43	TV + FM + SAT socket "F" type
	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <span style="color: grey;">●</span> Black Nickel 7314 40                 </div> <div style="text-align: center;"> <span style="color: black;">●</span> Matt Black 7316 40                 </div> </div>	
1	7314 40   7316 40	TV socket single - male
1	7314 41   7316 41	SAT socket single - "F" type
1	7314 42   7316 42	TV + FM socket
1	7314 43   7316 43	TV + FM + SAT socket "F" type
	<div style="text-align: center;"> <span style="color: yellow;">●</span> Brushed Gold 7318 40                 </div>	
1	7318 40	TV socket single - male
1	7318 41	SAT socket single - "F" type
1	7318 42	TV + FM socket
1	7318 43	TV + FM + SAT socket "F" type

Available  
January 2008



**Detailed home networks brochure  
available on request**

Red catalogue numbers: New products

**NEW**

**Synergy™**  
Modern (continued)



7310 60



7312 61



7314 70




7318 71

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Socket outlets 13 A - 250 V
		Conform to BS EN 1363: Part. 2 Patented 3 pin safety shutters mechanism 2 earth terminals For flush mounting, back box to be min. 25 mm deep Nominal plate dimensions: 1 gang: 89 x 89 mm 2 gang: 89 x 149.3 mm
		<b>Unswitched</b>
1	Silver 7310 65   Nickel 7312 65	1 gang
1	7310 75   7312 75	2 gang
		<b>Available January 2008</b>
1	Black Nickel 7314 65   Matt Black 7316 65	1 gang
1	7314 75   7316 75	2 gang
1	Brushed Gold 7318 65	1 gang
1	7318 75	2 gang

Pack	Cat.Nos	Double pole socket outlets 13 A - 250 V (continued)
		<b>Available January 2008</b>
1	Black Nickel 7314 60   Matt Black 7316 60	1 gang
1	7314 61   7316 61	1 gang with red LED
1	7314 70   7316 70	2 gang
1	7314 71   7316 71	2 gang with red LED power indicator
		<b>Brushed Gold</b>
1	7318 60	1 gang
1	7318 61	1 gang with red LED
1	7318 70	2 gang
1	7318 71	2 gang with red LED power indicator

Pack	Cat.Nos	Double pole socket outlets 13 A - 250 V
		Conform to BS EN 1363: Part. 2 Patented 3 pin safety shutters mechanism 2 earth terminals For flush mounting, back box to be min. 25 mm deep Nominal plate dimensions: 1 gang: 89 x 89 mm 2 gang: 89 x 149 mm
		<b>Switched</b>
1	Silver 7310 60   Nickel 7312 60	1 gang
1	7310 61   7312 61	1 gang with red LED
1	7310 70   7312 70	2 gang
1	7310 71   7312 71	2 gang with red LED power indicator



**Synergy™**  
Modern (continued)



7312 88



7310 89



7314 69



7316 59

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Socket outlets 15 A - 250 V
1	Silver 7310 88   Nickel 7312 88	Conform to BS 546 Patented 3 pin safety shutters mechanism For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 89 x 89 mm</b> 1 gang - unswitched
1	7310 89   7312 89	1 gang - switched, single pole
1	Black Nickel 7314 88   Matt Black 7316 88	1 gang - unswitched
1	7314 89   7316 89	1 gang - switched, single pole
1	Brushed Gold 7318 88	1 gang - unswitched
1	7318 89	1 gang - switched, single pole

Pack	Cat.Nos	Socket outlets 5 A - 250 V
1	Silver 7310 68   Nickel 7312 68	Conform to BS 546 Patented 3 pin safety shutters mechanism For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 89 x 89 mm</b> 1 gang - unswitched
1	7310 69   7312 69	1 gang - switched single pole
1	Black Nickel 7314 68   Matt Black 7316 68	1 gang - unswitched
1	7314 69   7316 69	1 gang - switched single pole
1	Brushed Gold 7318 68	1 gang - unswitched
1	7318 69	1 gang - switched single pole

Pack	Cat.Nos	Socket outlets 15 A - 250 V SASO
1	Silver 7310 85   Nickel 7312 85	Conform to SASO No. LIC 203182 For flush mounting, back box to be min. 35 mm deep <b>Unswitched</b> 1 gang - 89 x 89 mm
1	7310 86   7312 86	2 gang - 89 x 149 mm
1	Black Nickel 7314 85   Matt Black 7316 85	1 gang - 89 x 89 mm
1	7314 86   7316 86	2 gang - 89 x 149 mm
1	Brushed Gold 7318 85	1 gang - 89 x 89 mm
1	7318 86	2 gang - 89 x 149 mm

Pack	Cat.Nos	Socket outlets 2 A - 250 V
1	Silver 7310 59   Nickel 7312 59	Conform to BS 546 For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 89 x 89 mm</b> 1 gang - unswitched
1	Black Nickel 7314 59   Matt Black 7316 59	1 gang - unswitched
1	Brushed Gold 7318 59	1 gang - unswitched

Red catalogue numbers: New products



**NEW**

**Synergy™**  
Modern (continued)



7310 81

7312 84

7312 90

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Socket outlets 10/16 A - 250 V Euro-US
1	Silver 7310 80   Nickel 7312 80	For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 89 x 89 mm</b> 1 gang - unswitched
1	7310 81   7312 81	2 gang - unswitched
1	7310 84   7312 84	1 gang + 10 AX 1 way switch
	<b>Available January 2008</b>	
1	Black Nickel 7314 80   Matt Black 7316 80	1 gang - unswitched
1	7314 81   7316 81	2 gang - unswitched
1	7314 84   7316 84	1 gang + 10 AX 1 way switch
1	Brushed Gold 7318 80	1 gang - unswitched
1	7318 81	2 gang - unswitched
1	7318 84	1 gang + 10 AX 1 way switch

Pack	Cat.Nos	RCD sockets 13 A - 250 V
1	Silver 7310 97   Nickel 7312 97	Conform to BS 7288 and BS 1363: Part. 2 Maximum operating current 16 A Incorporates a "test and reset" button For flush mounting, back box to be min. 25 mm deep Nominal plate dimensions: 89 x 149 mm <b>RCD unit 2 gang - double pole - 30 mA</b> Active: Electrical latching trips on power failure
1	7310 98   7312 98	Passive: Mechanical latching does not trip on power failure

Pack	Cat.Nos	RCD sockets 13 A - 250 V (continued)
	<b>Available January 2008</b>	
1	Black Nickel 7314 97   Matt Black 7316 97	Active: Electrical latching trips on power failure
1	7314 98   7316 98	Passive: Mechanical latching does not trip on power failure
1	Brushed Gold 7318 97	Active: Electrical latching trips on power failure
1	7318 98	Passive: Mechanical latching does not trip on power failure

Pack	Cat.Nos	Shaver sockets
		Conform to BS EN 61558-2-5 suitable for use with European, British and Australian 2 pin plugs Rating: 20 VA IP 24 Screwless live and neutral terminals For flush mounting, back box to be min. 45 mm deep <b>Nominal plate dimensions: 149 x 89 mm</b> 240 V / 120 V - 50/60 Hz
1	Silver 7310 90   Nickel 7312 90	
	<b>Available January 2008</b>	
1	Black Nickel 7314 90   Matt Black 7316 90	240 V / 120 V - 50/60 Hz
1	Brushed Gold 7318 90	240 V / 120 V - 50/60 Hz

**Synergy™**  
Modern (continued)



7312 30



7310 33



7316 35



7318 34

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Fused connection units 13 A - 250 V
		Conform to BS 1363: Part. 4 Front cable outlet with cord grip Fuses supplied Locked captive fuse carrier (padlockable) For flush mounting, back box to be min. 25 mm deep Nominal plate dim.: 89 x 89 mm
		<b>Unswitched</b>
1	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Silver 7310 32                 </div> <div style="text-align: center;">  Nickel 7312 32                 </div> </div>	 With cord outlet
1	7310 30 7312 30	 Without cord outlet
1	7310 31 7312 31	 With red LED power indicator
1	7310 33 7312 33	 With red LED power indicator + cord outlet
		<b>Available January 2008</b>
1	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Black Nickel 7314 32                 </div> <div style="text-align: center;">  Matt Black 7316 32                 </div> </div>	 With cord outlet
1	7314 30 7316 30	 Without cord outlet
1	7314 31 7316 31	 With red LED power indicator
1	7314 33 7316 33	 With red LED power indicator + cord outlet
		<b>Available January 2008</b>
1	<div style="text-align: center;">  Brushed Gold 7318 32                 </div>	 With cord outlet
1	7318 30	 Without cord outlet
1	7318 31	 With red LED power indicator
1	7318 33	 With red LED power indicator + cord outlet

Pack	Cat.Nos	Fused connection units 13 A - 250 V (continued)
		<b>Double pole - switched</b>
1	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Silver 7310 36                 </div> <div style="text-align: center;">  Nickel 7312 36                 </div> </div>	 With cord outlet
1	7310 34 7312 34	 Without cord outlet
1	7310 35 7312 35	 With red LED power indicator
1	7310 37 7312 37	 With red LED power indicator + cord outlet
		<b>Available January 2008</b>
1	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  Black Nickel 7314 36                 </div> <div style="text-align: center;">  Matt Black 7316 36                 </div> </div>	 With cord outlet
1	7314 34 7316 34	 Without cord outlet
1	7314 35 7316 35	 With red LED power indicator
1	7314 37 7316 37	 With red LED power indicator + cord outlet
		<b>Available January 2008</b>
1	<div style="text-align: center;">  Brushed Gold 7318 36                 </div>	 With cord outlet
1	7318 34	 Without cord outlet
1	7318 35	 With red LED power indicator
1	7318 37	 With red LED power indicator + cord outlet

**NEW**

**Synergy™**  
Modern (continued)



7310 29



7312 19



7314 96



7318 52

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Cooker control units - 250 V						
1	<table border="0"> <tr> <td> Silver 7310 29</td> <td> Nickel 7312 29</td> </tr> <tr> <td> Black Nickel 7314 29</td> <td> Matt Black 7316 29</td> </tr> <tr> <td colspan="2" style="text-align: center;"> Brushed Gold 7318 29</td> </tr> </table>	Silver 7310 29	Nickel 7312 29	Black Nickel 7314 29	Matt Black 7316 29	Brushed Gold 7318 29		<p>Conform to BS 4177: 1992 For flush mounting, back box to be min 47 mm deep</p> <p><b>Nominal plate dimensions: 89 x 149 mm</b></p> <p> 45 A DP switch + 13 A DP switched socket outlet</p> <p> 45 A DP switch + 13 A DP switched socket outlet</p> <p> 45 A DP switch + 13 A DP switched socket outlet</p>
Silver 7310 29	Nickel 7312 29							
Black Nickel 7314 29	Matt Black 7316 29							
Brushed Gold 7318 29								

Pack	Cat.Nos	Cable outlets						
1	<table border="0"> <tr> <td> Silver 7310 19</td> <td> Nickel 7312 19</td> </tr> <tr> <td> Black Nickel 7314 19</td> <td> Matt Black 7316 19</td> </tr> <tr> <td colspan="2" style="text-align: center;"> Brushed Gold 7318 19</td> </tr> </table>	Silver 7310 19	Nickel 7312 19	Black Nickel 7314 19	Matt Black 7316 19	Brushed Gold 7318 19		<p>Conform to BS 5733 Fitted with clamp and outlet membrane Nominal plate dim.: 86 x 86 mm</p> <p><b>20 A 250 V</b></p> <p> With terminal block</p> <p> With terminal block</p> <p> With terminal block</p>
Silver 7310 19	Nickel 7312 19							
Black Nickel 7314 19	Matt Black 7316 19							
Brushed Gold 7318 19								
1	<table border="0"> <tr> <td> Silver 7310 26</td> <td> Nickel 7312 26</td> </tr> <tr> <td> Black Nickel 7314 26</td> <td> Matt Black 7316 26</td> </tr> <tr> <td colspan="2" style="text-align: center;"> Brushed Gold 7318 26</td> </tr> </table>	Silver 7310 26	Nickel 7312 26	Black Nickel 7314 26	Matt Black 7316 26	Brushed Gold 7318 26		<p><b>45 A 250 V</b></p> <p> With terminal block</p> <p> With terminal block</p> <p> With terminal block</p>
Silver 7310 26	Nickel 7312 26							
Black Nickel 7314 26	Matt Black 7316 26							
Brushed Gold 7318 26								


Pack	Cat.Nos	Accessories						
<b>Blanking plates</b>								
1	<table border="0"> <tr> <td> Silver 7310 95</td> <td> Nickel 7312 95</td> </tr> <tr> <td> Black Nickel 7314 95</td> <td> Matt Black 7316 95</td> </tr> <tr> <td colspan="2" style="text-align: center;"> Brushed Gold 7318 95</td> </tr> </table>	Silver 7310 95	Nickel 7312 95	Black Nickel 7314 95	Matt Black 7316 95	Brushed Gold 7318 95		<p> 1 gang - 89 x 89 mm</p> <p> 2 gang - 89 x 149 mm</p> <p> 1 gang - 89 x 89 mm</p> <p> 2 gang - 89 x 149 mm</p> <p> 1 gang - 89 x 89 mm</p> <p> 2 gang - 89 x 149 mm</p>
Silver 7310 95	Nickel 7312 95							
Black Nickel 7314 95	Matt Black 7316 95							
Brushed Gold 7318 95								
1	<table border="0"> <tr> <td> Silver 7310 52</td> <td> Nickel 7312 52</td> </tr> <tr> <td> Black Nickel 7314 52</td> <td> Matt Black 7316 52</td> </tr> <tr> <td colspan="2" style="text-align: center;"> Brushed Gold 7318 52</td> </tr> </table>	Silver 7310 52	Nickel 7312 52	Black Nickel 7314 52	Matt Black 7316 52	Brushed Gold 7318 52		<p><b>Cord outlets</b></p> <p> 1 gang - 89 x 89 mm</p> <p> 1 gang - 89 x 89 mm</p> <p> 1 gang - 89 x 89 mm</p>
Silver 7310 52	Nickel 7312 52							
Black Nickel 7314 52	Matt Black 7316 52							
Brushed Gold 7318 52								

Red catalogue numbers: New products

**Synergy™**  
Modern (continued)



7312 91



7310 94



7316 92



7354 74

Selection chart (p. 504)

**Carrier plates for Mosaic modules**

Pack	Cat.Nos		
	Silver	Nickel	Can be directly equipped with Mosaic mechanisms No additional yoke required
1	7310 91	7312 91	1 gang - 89 x 89 mm 1 Mosaic module
1	7310 92	7312 92	1 gang - 89 x 89 mm 2 Mosaic modules
1	7310 93	7312 93	2 gang - 89 x 149 mm 3 Mosaic modules
1	7310 94	7312 94	2 gang - 89 x 149 mm 4 Mosaic modules
	Black Nickel	Matt Black	
1	7314 91	7316 91	1 gang - 89 x 89 mm 1 Mosaic module
1	7314 92	7316 92	1 gang - 89 x 89 mm 2 Mosaic modules
1	7314 93	7316 93	2 gang - 89 x 149 mm 3 Mosaic modules
1	7314 94	7316 94	2 gang - 89 x 149 mm 4 Mosaic modules
	Brushed Gold		
1	7318 91		1 gang - 89 x 89 mm 1 Mosaic module
1	7318 92		1 gang - 89 x 89 mm 2 Mosaic modules
1	7318 93		2 gang - 89 x 149 mm 3 Mosaic modules
1	7318 94		2 gang - 89 x 149 mm 4 Mosaic modules

Available January 2008

Available January 2008

**Front plates for Mosaic modules**

Pack	Cat.Nos		
	Silver	Nickel	To be equipped with additional yokes below
1	7311 88	7313 88	2 x 2 gang for 8 Mosaic modules 146 x 207 mm
1	7311 90	7313 90	3 x 3 gang for 18 Mosaic modules 207 x 267 mm
	Black Nickel	Matt Black	
1	7315 88	7317 88	2 x 2 gang for 8 Mosaic modules 146 x 207 mm
1	7315 90	7317 90	3 x 3 gang for 18 Mosaic modules 207 x 267 mm
	Brushed Gold		
1	7321 88		2 x 2 gang for 8 Mosaic modules 146 x 207 mm
1	7321 90		3 x 3 gang for 18 Mosaic modules 207 x 267 mm

**Yokes for Mosaic modules**

10	7354 74	2 gang Use 2 yokes for 2 x 2 gang front plates Cat. Nos 7311 88, 7313 88, 7315 88, 7317 88 and 7321 88
15	7354 76	3 gang Use 3 yokes for 3 x 3 gang front plates Cat. Nos 7311 90, 7313 90, 7315 90, 7317 90 and 7321 90


# Synergy™ Modern (continued)




7311 91



7313 92



7315 93



7317 94



Selection chart (p. 509)  
Grid modules (p. 506-507)

Pack	Cat.Nos	Front plates for Grid modules
		To be equipped with additional yokes (see opposite)
		<b>1 gang</b>
1	<div style="display: flex; justify-content: space-around;"> <span>Silver 7311 91</span> <span>Nickel 7313 91</span> </div>	1 small aperture 89 x 89 mm
1	<div style="display: flex; justify-content: space-around;"> <span>7311 92</span> <span>7313 92</span> </div>	2 small apertures 89 x 89 mm
		<b>Available January 2008</b>
		<div style="display: flex; justify-content: space-around;"> <span>Black Nickel</span> <span>Matt Black</span> </div>
1	<div style="display: flex; justify-content: space-around;"> <span>7315 91</span> <span>7317 91</span> </div>	1 small aperture 89 x 89 mm
1	<div style="display: flex; justify-content: space-around;"> <span>7315 92</span> <span>7317 92</span> </div>	2 small apertures 89 x 89 mm
		<b>Brushed Gold</b>
1	7319 91	1 small aperture 89 x 89 mm
1	7319 92	2 small apertures 89 x 89 mm
		<b>2 gang</b>
1	<div style="display: flex; justify-content: space-around;"> <span>Silver 7311 93</span> <span>Nickel 7313 93</span> </div>	3 small apertures 89 x 149.3 mm
1	<div style="display: flex; justify-content: space-around;"> <span>7311 94</span> <span>7313 94</span> </div>	4 small apertures 89 x 149.3 mm
		<b>Available January 2008</b>
		<div style="display: flex; justify-content: space-around;"> <span>Black Nickel</span> <span>Matt Black</span> </div>
1	<div style="display: flex; justify-content: space-around;"> <span>7315 93</span> <span>7317 93</span> </div>	3 small apertures 89 x 149.3 mm
1	<div style="display: flex; justify-content: space-around;"> <span>7315 94</span> <span>7317 94</span> </div>	4 small apertures 89 x 149.3 mm
		<b>Brushed Gold</b>
1	7319 93	3 small apertures 89 x 149.3 mm
1	7319 94	4 small apertures 89 x 149.3 mm

Pack	Cat.Nos	Front plates for Grid modules (continued)
		<b>2 x 2 gang</b>
1	<div style="display: flex; justify-content: space-around;"> <span>Silver 7311 82</span> <span>Nickel 7313 82</span> </div>	6 small apertures 146 x 146 mm
1	<div style="display: flex; justify-content: space-around;"> <span>7311 83</span> <span>7313 83</span> </div>	8 small apertures 146 x 146 mm
		<b>Available January 2008</b>
		<div style="display: flex; justify-content: space-around;"> <span>Black Nickel</span> <span>Matt Black</span> </div>
1	<div style="display: flex; justify-content: space-around;"> <span>7315 82</span> <span>7317 82</span> </div>	6 small apertures 146 x 146 mm
1	<div style="display: flex; justify-content: space-around;"> <span>7315 83</span> <span>7317 83</span> </div>	8 small apertures 146 x 146 mm
		<b>Brushed Gold</b>
1	7321 82	6 small apertures 146 x 146 mm
1	7321 83	8 small apertures 146 x 146 mm
		<b>Yokes for Grid modules</b>
10	7354 81	For 1 gang - 1/2 modules
15	7354 82	For 2 gang and 2 x 2 gang - 3/4 modules

# A cutting-edge classic

Bringing together familiar design with contemporary slim profile faceplates, Synergy's Rope edge accessories add a touch of classical styling to any "warm" environments.



## ▼ FEATURES

- Slim new style with screwless faceplates
- 3D matching contoured rockers with precision action mechanisms
- Unique triple LED option
- Large angled terminal entries with screws supplied in backed-off position
- Triple action safety shutter system

# Synergy™

Rope edge



7320 00



7320 02



7320 06



7321 56

Front plates: clip on electroplated zinc polished diecast plate with electrophoretic gloss brass lacquer, anthracite interiors, matching decorative rockers (except where otherwise indicated)  
Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Single pole plate switches 10 AX - 250 V	
		Conform to BS EN 60669-1 For flush mounting, back box to be min. 16 mm deep <b>Nominal plate dimensions: 92 x 92 mm</b>	
1	7320 00		1 gang - 1 way
1	7320 01		1 gang - 2 way
1	7320 05		1 gang - intermediate
1	7320 02		2 gang - 2 way
1	7320 03		3 gang - 2 way
		<b>Nominal plate dimensions: 92 x 152 mm</b>	
1	7320 04		4 gang - 2 way
1	7320 06		6 gang - 2 way

Pack	Cat.Nos	Single pole push switch 10 A - 250 V	
		Conforms to BS EN 60669-1 For flush mounting, back box to be min. 16 mm deep <b>Nominal plate dimensions: 92 x 92 mm</b>	
1	7320 07		1 gang - 2 way push switch
		<b>Push on/off rotary dimmers 400 W 100-240 V - 50/60 Hz</b> Conform to BS EN 60669-1 For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 89 x 89 mm</b>	
1	7321 56		1 gang - 2 way
1	7321 57		2 gang - 2 way

Pack	Cat.Nos	Single pole plate switches 20 AX - 250 V	
		Conforms to BS EN 60669-1 For flush mounting, back box to be min. 16 mm deep <b>Nominal plate dimensions: 89 x 89 mm</b>	
1	7321 31		1 gang - 2 way
1	7321 32		2 gang - 2 way
1	7321 33		3 gang - 2 way

# Synergy™

## Rope edge (continued)



7320 12



7320 23



7320 56








7320 57





7320 42



Front plates: clip on electroplated zinc polished diecast plate with electrophoretic gloss brass lacquer, anthracite interiors, matching decorative rockers (except where otherwise indicated)  
Terminal screws captive and backed off ready for cabling





Pack	Cat.Nos	<b>Isolator switch 10 A - 250 V</b>
1	7320 09	Conforms to BS EN 60947-3: 1992 Switch locking feature, white rocker For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 92 x 92 mm</b> 3 pole isolator switch 



Pack	Cat.Nos	<b>Double pole switches 20 A - 250 V</b>
1	7320 10	Conform to BS EN 60669-1 For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 92 x 92 mm</b> DP switch 
1	7320 14	DP switch + cord outlet 
1	7320 16	DP switch + cord outlet + red LED power indicator 
1	7320 12	DP switch + red LED power indicator 

Pack	Cat.Nos	<b>Double pole switches 45 A - 250 V</b>
1	7320 22	Conform to BS EN 60669-1 For flush mounting, back box to be min. 45 mm deep Red rocker <b>Nominal plate dimensions: 92 x 92 mm</b> DP switch 
1	7320 23	DP switch + red LED power indicator 

Pack	Cat.Nos	<b>Telephone sockets</b>
1	7320 50	For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 92 x 92 mm</b> UK master 
1	7320 51	UK secondary
1	7320 54	RJ 11 / RJ 12 - single

Pack	Cat.Nos	<b>Data sockets cat.6</b>
1	7320 56	Rapid cable connection For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 92 x 92 mm</b> RJ 45 - single 
1	7320 57	RJ 45 - twin 

Pack	Cat.Nos	<b>TV + FM + SAT sockets</b>
1	7320 40	For flush mounting, back box to be min. 35 mm deep Screened <b>Nominal plate dimensions: 92 x 92 mm</b> TV socket single - male 
1	7320 41	SAT socket single - "F" type 
1	7320 42	TV + FM socket 
1	7320 43	TV + FM + SAT socket "F" type 

Pack	Cat.Nos	<b>Cable outlets</b>
1	7320 19	Conform to BS 5733 Fitted clamp and outlet membrane Nominal plate dimensions: 86 x 86 mm <b>20 A - 250 V</b> With terminal block 
1	7320 26	<b>45 A - 250 V</b> With terminal block 



# Synergy™

## Rope edge (continued)



7320 65



7320 75



7320 60



7320 71



7320 89



7320 69



7320 59

Front plates: clip on electroplated zinc polished diecast plate with electrophoretic gloss brass lacquer, anthracite interiors, matching decorative rockers (except where otherwise indicated)

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Socket outlets 13 A - 250 V
1	7320 65	Conform to BS 1363: Part. 2 Patented 3 pin safety shutters mechanism 2 earth terminals For flush mounting, back box to be min. 25 mm deep Nominal plate dim.: 1 gang 92 x 92 mm 2 gang 92 x 152 mm <b>Unswitched</b> 1 gang
1	7320 75	2 gang

Pack	Cat.Nos	Double pole socket outlets 13 A - 250 V
1	7320 60	Conform to BS 1363: Part.2 Patented 3 pin safety shutters mechanism 2 earth terminals For flush mounting, back box to be min. 25 mm deep Nominal plate dim.: 1 gang 92 x 92 mm 2 gang 92 x 152 mm <b>Switched</b> 1 gang
1	7320 61	1 gang with red LED power indicator
1	7320 70	2 gang
1	7320 71	2 gang with red LED power indicator

Pack	Cat.Nos	Cooker control unit 250 V
1	7320 29	Conform to BS 4177: 1992 For flush mounting, back box to be min. 45 mm deep <b>Nominal plate dimensions: 92 x 152 mm</b> 45 A DP switch + 13 A DP switched socket outlet + red LED power indicator

Pack	Cat.Nos	Socket outlets 15 A - 250 V
1	7320 88	Conform to BS 546 Patented 3 pin safety shutters mechanism For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 92 x 92 mm</b> 1 gang - unswitched
1	7320 89	1 gang - switched, single pole

Pack	Cat.Nos	Socket outlets 15 A - 250 V - SASO
1	7320 85	Conform to SASO No LIC 203182 For flush mounting, back box to be min. 35 mm deep Nominal plate dim.: 1 gang 92 x 92 mm 2 gang 92 x 152 mm <b>Unswitched</b> 1 gang
1	7320 86	2 gang

Pack	Cat.Nos	Socket outlets 5 A - 250 V
1	7320 68	Conform to BS 546 Patented 3 pin safety shutters mechanism For flush mounting, back box to min. 25 mm deep <b>Nominal plate dimensions: 92 x 92 mm</b> 1 gang - unswitched
1	7320 69	1 gang - switched, single pole

Pack	Cat.Nos	Socket outlet 2 A - 250 V
1	7320 59	Conform to BS 546 For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 92 x 92 mm</b> 1 gang - unswitched

# Synergy™

## Rope edge (continued)



7320 81



7320 83



7320 30



7320 32



7320 31



7320 36



7320 90

Front plates: clip on electroplated zinc polished diecast plate with electrophoretic gloss brass lacquer, anthracite interiors, matching decorative rockers (except where otherwise indicated)  
Terminal screws captive and backed off ready for cabling

### Pack Cat.Nos Socket outlets 10/16 A - 250 V Euro-US


Pack	Cat.Nos	Description
1	7320 80	For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 92 x 92 mm</b> 1 gang unswitched
1	7320 81	2 gang unswitched
1	7320 83	1 gang + 10 AX - 1 way switch



Pack	Cat.Nos	Description
1	7320 97	<b>RCD sockets 13 A - 250 V</b> Conform to BS 7288 and BS 1363: Part 2 Maximum operating current 16 A Incorporate a "test and reset" button For flush mounting back box to be min. 25 mm deep Nominal plate dimensions: 92 x 152 mm <b>RCD unit 2 gang - double pole - 30 mA</b> Active: electrical latching trips on power failure
1	7320 98	Passive: mechanical latching does not trip on power failure



Pack	Cat.Nos	Description
1	7320 90	<b>Shaver socket</b> Conforms to BS EN 61558-2-5 Suitable for use with European, British and Australian 2 pin plugs Rating: 20 VA IP 24 Screwless live and neutral terminals For flush mounting, back box to be min. 45 mm deep <b>Nominal plate dimensions: 152 x 92 mm</b> 240 / 115 V~ - 50/60 Hz



### Pack Cat.Nos Fused connection units 13 A - 250 V

Pack	Cat.Nos	Description
1	7320 30	Conform to BS 1363: Part 4 Front cable outlet with cord grip Locked captive fuse carrier (padlockable) For flush mounting, back box to be min. 25 mm deep Nominal plate dimensions: 92 x 92 mm <b>Unswitched</b> Without cord outlet
1	7320 32	With cord outlet
1	7320 31	With red LED power indicator
1	7320 33	With red LED power indicator + cord outlet
1	7320 34	<b>Double pole - switched</b> Without cord outlet
1	7320 36	With cord outlet
1	7320 35	With red LED power indicator
1	7320 37	With red LED power indicator + cord outlet



Pack	Cat.Nos	Description
1	7320 95	<b>Accessories</b> <b>Blanking plates</b> 1 gang - 92 x 92 mm
1	7320 96	2 gang - 92 x 152 mm
1	7320 52	<b>Cord outlet</b> 1 gang - 92 x 92 mm



## Synergy™

Rope edge - for Mosaic Grid system



7320 92



7337 90



7320 94

## Synergy™

Rope edge - for Grid system



7321 91



7321 93



7321 92



7321 94

Selection chart (p. 504)

Pack	Cat.Nos	Carrier plates for Mosaic modules
1	7320 91	Can be directly equipped with Mosaic modules No additional yoke required <b>Nominal plate dimensions: 92 x 92 mm</b> 1 gang for 1 Mosaic module
1	7320 92	1 gang for 2 Mosaic modules
1	7320 93	<b>Nominal plate dimensions: 92 x 152 mm</b> 2 gang for 3 Mosaic modules
1	7320 94	2 gang for 4 Mosaic modules

Pack	Cat.Nos	Front plates for Mosaic modules
1	7337 88	To be equipped with yokes below 2 x 2 gang for 8 Mosaic modules 146 x 207 mm
1	7337 90	3 x 3 gang for 18 Mosaic modules 207 x 267 mm

Pack	Cat.Nos	Yokes for Mosaic front plates
10	7354 74	2 gang - 4 Mosaic modules Use 2 yokes for 2 x 2 gang front plates Cat.No 7337 88
15	7354 76	3 gang - 6 Mosaic modules Use 3 yokes for 3 x 3 gang front plates Cat.No 7337 90

Selection chart (p. 509)  
Grid modules (p. 506-507)

Pack	Cat.Nos	Front plates for Grid modules
		To be equipped with additional yokes (p. 508)
		<b>Architrave</b>
1	7337 80	1 gang 36 x 86 mm
1	7337 81	2 gang 36 x 146 mm
		<b>1 gang</b>
1	7321 91	1 small aperture 92 x 92 mm
1	7321 92	2 small apertures 92 x 92 mm
		<b>2 gang</b>
1	7321 93	3 small apertures 92 x 152 mm
1	7321 94	4 small apertures 92 x 152 mm
		<b>2 x 2 gang</b>
1	7337 82	6 small apertures 146 x 146 mm
1	7337 83	8 small apertures 146 x 146 mm
		<b>3 x 2 gang</b>
1	7337 84	9 small apertures 207 x 146 mm
1	7337 85	12 small apertures 207 x 146 mm
		<b>3 x 3 gang</b>
1	7337 86	18 small apertures 267 x 207 mm
		<b>4 x 3 gang</b>
1	7337 87	24 small apertures 267 x 207 mm

# An evolution in traditional accessories

With Synergy, Traditional decorative wiring accessories have also evolved. The familiar flat profile is slimmer and incorporates Synergy's stylish rockers with precision action mechanisms.



## ▼ FEATURES

- Slim faceplates
- 3D contoured rockers with precision action mechanisms
- Unique triple LED option
- Large angled terminal entries with screws supplied in backed-off position
- Triple action safety shutter system

# Synergy™ Traditional



7330 00



7334 02



7330 06



7334 07

### Front plates:

BSS: Electro plated brushed stainless steel with clear epoxy satin lacquer coating

PSS: Electro plated stainless steel with trivalent chrome for mirror finish

SB: Electro plated stainless steel with electrophoretic satin brass lacquer

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos		Single pole plate switches 10 AX - 250 V	
			Conform to BS EN 60669-1 For flush mounting, back box to be min. 16 mm deep	
			<b>Nominal plate dimensions: 86 x 86 mm</b>	
1	7330 00	7332 00		1 gang - 1 way
1	7330 01	7332 01		1 gang - 2 way
1	7330 05	7332 05		1 gang - intermediate
1	7330 02	7332 02		2 gang - 2 way
1	7330 03	7332 03		3 gang - 2 way
1	7334 00			1 gang - 1 way
1	7334 01			1 gang - 2 way
1	7334 05			1 gang - intermediate
1	7334 02			2 gang - 2 way
1	7334 03			3 gang - 2 way
			<b>Nominal plate dimensions: 86 x 146 mm</b>	
1	7330 04	7332 04		4 gang - 2 way
1	7330 06	7332 06		6 gang - 2 way
1	7334 04			4 gang - 2 way
1	7334 06			6 gang - 2 way

Pack	Cat.Nos		Single pole switches 20 AX - 250 V	
			Conform to BS EN 60669-1 For flush mounting, back box to be min. 16 mm deep	
			<b>Nominal plate dimensions: 89 x 89 mm</b>	
1				1 gang - 2 way
1				2 gang - 2 way
1				3 gang - 2 way
1	7335 31	7333 31		1 gang - 2 way
1	7335 32	7333 32		2 gang - 2 way
1	7335 33	7333 33		3 gang - 2 way

Pack	Cat.Nos		Single pole push switches 10 A - 250 V	
			Conform to BS EN 60669-1 For flush mounting, back box to be min. 16 mm deep	
			<b>Nominal plate dimensions: 86 x 86 mm</b>	
1	7330 07	7332 07		1 gang - 2 way push-switch
1	7334 07			1 gang - 2 way push-switch

**Synergy™**  
Traditional (continued)



7331 56



7333 57



7334 09

Front plates:

BSS: Electro plated brushed stainless steel with clear epoxy satin lacquer coating

PSS: Electro plated stainless steel with trivalent chrome for mirror finish

SB: Electro plated stainless steel with electrophoretic satin brass lacquer

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Finish	Configuration
1	7331 56	Brushed Stainless Steel	1 gang - 2 way
	7333 56	Polished Stainless Steel	1 gang - 2 way
1	7331 57	Brushed Stainless Steel	2 gang - 2 way
1	7333 57	Polished Stainless Steel	2 gang - 2 way
1	7335 56	Satin Brass	1 gang - 2 way
1	7335 57	Satin Brass	2 gang - 2 way

**NEW**

**Push on/off rotary dimmers 400 W  
100 - 240 V - 50/60 Hz**

Conform to BS EN 60669-1-2  
For flush mounting, back box to be min. 25 mm deep

**Nominal plate dimensions: 89 x 89 mm**

Pack	Cat.Nos	Finish	Configuration
1	7330 09	Brushed Stainless Steel	3 pole isolator switch
	7332 09	Polished Stainless Steel	3 pole isolator switch
1	7334 09	Satin Brass	3 pole isolator switch

**Isolator switches 10 A - 250 V**

Conform to BS EN 60947-3: 1992  
Switch locking feature  
For flush mounting, back box to be min. 16 mm deep

**Nominal plate dimensions: 86 x 86 mm**

# Synergy™ Traditional (continued)



7330 12



7334 10



7330 23



7332 20

Front plates:

BSS: Electro plated brushed stainless steel with clear epoxy satin lacquer coating

PSS: Electro plated stainless steel with trivalent chrome for mirror finish

SB: Electro plated stainless steel with electrophoretic satin brass lacquer

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Double pole switches 20 A - 250 V
1	7330 10   7332 10	<p>Conform to BS EN 60669-1 For flush mounting, back box to be min. 25 mm deep Use cord outlet accessory Cat.No 7300 53 for external cord outlet</p> <p><b>Nominal plate dimensions: 86 x 86 mm</b></p> <p>DP switch</p>
1	7330 14   7332 14	<p>DP switch + cord outlet</p>
1	7330 16   7332 16	<p>DP switch + cord outlet + red LED power indicator</p>
1	7330 12   7332 12	<p>DP switch + red LED power indicator</p>
1	7334 10	<p>DP switch</p>
1	7334 14	<p>DP switch + cord outlet</p>
1	7334 16	<p>DP switch + cord outlet + red LED power indicator</p>
1	7334 12	<p>DP switch + red LED power indicator</p>

Pack	Cat.Nos	Double pole switches 45 A - 250 V
1	7330 22   7332 22	<p>Conform to BS EN 60669-1 For flush mounting, back box to be min. 45 mm deep</p> <p><b>Nominal plate dimensions: 86 x 86 mm</b></p> <p>1 gang switch</p>
1	7330 23   7332 23	<p>1 gang switch + red LED power indicator</p>
1	7334 22	<p>1 gang switch</p>
1	7334 23	<p>1 gang switch + red LED power indicator</p>
1	7330 20   7332 20	<p><b>Nominal plate dimensions: 146 x 86 mm</b></p> <p>1 gang switch</p>
1	7330 21   7332 21	<p>1 gang switch + red LED power indicator</p>
1	7334 20	<p>1 gang switch</p>
1	7334 21	<p>1 gang switch + red LED power indicator</p>

**Synergy™**  
Traditional (continued)



7330 50



7334 57



7332 42



7330 43

Front plates:

BSS: Electro plated brushed stainless steel with clear epoxy satin lacquer coating

PSS: Electro plated stainless steel with trivalent chrome for mirror finish

SB: Electro plated stainless steel with electrophoretic satin brass lacquer

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos		Telephone sockets
			For flush mounting, back box to be min. 35 mm deep
	Brushed Stainless Steel	Polished Stainless Steel	<b>Nominal plate dimensions: 86 x 86 mm</b>
1	7330 50	7332 50	UK master
1	7330 51	7332 51	UK secondary
1	7330 54	7332 54	RJ 11/RJ 12 - single
	Satin Brass		
1	7334 50		UK master
1	7334 51		UK secondary
1	7334 54		RJ 11/RJ 12 - single

Pack	Cat.Nos		Data sockets Cat. 6
			Rapid cable connection For flush mounting, back box to be min. 35 mm deep
	Brushed Stainless Steel	Polished Stainless Steel	<b>Nominal plate dimensions: 86 x 86 mm</b>
1	7330 56	7332 56	RJ 45 - single
1	7330 57	7332 57	RJ 45 - twin
	Satin Brass		
1	7334 56		RJ 45 - single
1	7334 57		RJ 45 - twin

Pack	Cat.Nos		TV + FM + SAT sockets
			For flush mounting, back box to be min. 35 mm deep Screened
	Brushed Stainless Steel	Polished Stainless Steel	<b>Nominal plate dimensions: 86 x 86 mm</b>
1	7330 40	7332 40	TV socket single - male
1	7330 41	7332 41	SAT socket single - "F" type
1	7330 42	7332 42	TV + FM socket
1	7330 43	7332 43	TV + FM + SAT socket - "F" type
	Satin Brass		
1	7334 40		TV socket single - male
1	7334 41		SAT socket single - "F" type
1	7334 42		TV + FM socket
1	7334 43		TV + FM + SAT socket - "F" type



# Synergy™ Traditional (continued)



7330 65



7332 75



7334 75



7332 60

Front plates:

BSS: Electro plated brushed stainless steel with clear epoxy satin lacquer coating

PSS: Electro plated stainless steel with trivalent chrome for mirror finish

SB: Electro plated stainless steel with electrophoretic satin brass lacquer

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Socket outlets 13 A - 250 V~
1	7330 65   7332 65	<p>Conform to BS 1363: Part. 2 Patented 3 pin safety shutters mechanism 2 earth terminals For flush mounting, back box to be min. 25 mm deep Unswitched</p> <p><b>Nominal plate dimensions: 86 x 86 mm</b></p> <p>1 gang</p>
1	7334 65	<p>Satin Brass</p> <p>1 gang</p>
1	7330 75   7332 75	<p>Conform to BS 1363: Part. 2 Patented 3 pin safety shutters mechanism 2 earth terminals For flush mounting, back box to be min. 25 mm deep Unswitched</p> <p><b>Nominal plate dimensions: 86 x 146 mm</b></p> <p>2 gang</p>
1	7334 75	<p>Satin Brass</p> <p>2 gang</p>

Pack	Cat.Nos	Double pole socket outlets 13 A - 250 V~
1	7330 60   7332 60	<p>Conform to BS 1363: Part. 2 Patented 3 pin safety shutters mechanism, 2 earth terminals For flush mounting, back box to be min. 25 mm deep Switched</p> <p><b>Nominal plate dimensions: 86 x 86 mm</b></p> <p>1 gang</p>
1	7330 61   7332 61	<p>1 gang with red LED power indicator</p>
1	7334 60	<p>Satin Brass</p> <p>1 gang</p>
1	7334 61	<p>1 gang with red LED power indicator</p>
1	7330 70   7332 70	<p>Conform to BS 1363: Part. 2 Patented 3 pin safety shutters mechanism, 2 earth terminals For flush mounting, back box to be min. 25 mm deep Switched</p> <p><b>Nominal plate dimensions: 86 x 146 mm</b></p> <p>2 gang</p>
1	7330 71   7332 71	<p>2 gang with red LED power indicator</p>
1	7330 74   7332 74	<p>2 gang switched outboard for standard and clean earth applications</p>
1	7334 70	<p>Satin Brass</p> <p>2 gang</p>
1	7334 71	<p>2 gang with red LED power indicator</p>
1	7334 74	<p>2 gang - switched outboard for standard and clean earth applications</p>

# Synergy™ Traditional (continued)



7330 89



7334 69



7332 59



7334 59

### Front plates:

BSS: Electro plated brushed stainless steel with clear epoxy satin lacquer coating

PSS: Electro plated stainless steel with trivalent chrome for mirror finish

SB: Electro plated stainless steel with electrophoretic satin brass lacquer

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	Socket outlets 15 A - 250 V~		
1	<table border="0"> <tr> <td style="text-align: center;">● Brushed Stainless Steel 7330 88</td> <td style="text-align: center;">● Polished Stainless Steel 7332 88</td> </tr> </table>	● Brushed Stainless Steel 7330 88	● Polished Stainless Steel 7332 88	Conform to BS 546 Patented 3 pin safety shutters mechanism, For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> 1 gang - unswitched
● Brushed Stainless Steel 7330 88	● Polished Stainless Steel 7332 88			
1	7330 89   7332 89	1 gang - switched single pole		
1	● Satin Brass 7334 88	1 gang - unswitched		
1	7334 89	1 gang - switched single pole		

Pack	Cat.Nos	Socket outlets 5 A - 250 V~		
1	<table border="0"> <tr> <td style="text-align: center;">● Brushed Stainless Steel 7330 68</td> <td style="text-align: center;">● Polished Stainless Steel 7332 68</td> </tr> </table>	● Brushed Stainless Steel 7330 68	● Polished Stainless Steel 7332 68	Conform to BS 546 Patented 3 pin safety shutters mechanism, For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> 1 gang - unswitched
● Brushed Stainless Steel 7330 68	● Polished Stainless Steel 7332 68			
1	7330 69   7332 69	1 gang - switched single pole		
1	● Satin Brass 7334 68	1 gang - unswitched		
1	7334 69	1 gang - switched single pole		

Pack	Cat.Nos	Socket outlets 15 A - 250 V~ - SASO		
1	<table border="0"> <tr> <td style="text-align: center;">● Brushed Stainless Steel 7330 85</td> <td style="text-align: center;">● Polished Stainless Steel 7332 85</td> </tr> </table>	● Brushed Stainless Steel 7330 85	● Polished Stainless Steel 7332 85	Conform to SASO Lic. 203182 For flush mounting, back box to be min. 35 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> 1 gang
● Brushed Stainless Steel 7330 85	● Polished Stainless Steel 7332 85			
1	● Satin Brass 7334 85	1 gang		
1	<table border="0"> <tr> <td style="text-align: center;">● Brushed Stainless Steel 7330 86</td> <td style="text-align: center;">● Polished Stainless Steel 7332 86</td> </tr> </table>	● Brushed Stainless Steel 7330 86	● Polished Stainless Steel 7332 86	<b>Nominal plate dimensions: 86 x 146 mm</b> 2 gang
● Brushed Stainless Steel 7330 86	● Polished Stainless Steel 7332 86			
1	● Satin Brass 7334 86	2 gang		

Pack	Cat.Nos	Socket outlets 2 A - 250 V~		
1	<table border="0"> <tr> <td style="text-align: center;">● Brushed Stainless Steel 7330 59</td> <td style="text-align: center;">● Polished Stainless Steel 7332 59</td> </tr> </table>	● Brushed Stainless Steel 7330 59	● Polished Stainless Steel 7332 59	Conform to BS 546 For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> 1 gang - unswitched
● Brushed Stainless Steel 7330 59	● Polished Stainless Steel 7332 59			
1	● Satin Brass 7334 59	1 gang - unswitched		

# Synergy™ Traditional (continued)



7330 81



7334 80



7332 90



7334 90

### Front plates:

BSS: Electro plated brushed stainless steel with clear epoxy satin lacquer coating

PSS: Electro plated stainless steel with trivalent chrome for mirror finish

SB: Electro plated stainless steel with electrophoretic satin brass lacquer

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos		Socket outlets 10/16 A - 250 V~ Euro - US
	Brushed Stainless Steel	Polished Stainless Steel	
1	7330 80	7332 80	For flush mounting, back box to be min. 25 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> 1 gang - unswitched 
1	7330 81	7332 81	2 gang - unswitched 
1	7330 83	7332 83	1 gang + 10 AX - 1 way switch 
	Satin Brass		
1	7334 80		1 gang - unswitched 
1	7334 81		2 gang - unswitched 
1	7334 83		1 gang + 10 AX - 1 way switch 

Pack	Cat.Nos		Shaver sockets
	Brushed Stainless Steel	Polished Stainless Steel	
1	7330 90	7332 90	Conform to BS EN 61558-2-5 Suitable for use with European, British and Australian 2 pin plugs Rating: 20 VA IP 24 Screwless live and neutral terminals For flush mounting, back box to be min. 45 mm deep <b>Nominal plate dimensions: 146 x 86 mm</b> 240 / 120 V~ - 50/60 Hz 
	Satin Brass		
1	7334 90		240 / 120 V~ - 50/60 Hz 

**Synergy™**  
Traditional (continued)



7332 97



7330 32



7332 36



7334 37

Front plates:

BSS: Electro plated brushed stainless steel with clear epoxy satin lacquer coating

PSS: Electro plated stainless steel with trivalent chrome for mirror finish

SB: Electro plated stainless steel with electrophoretic satin brass lacquer

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	<b>RCD sockets 13 A - 250 V~</b>
		Conform to BS 7288 and BS 1363: Part. 2 Maximum operating current 16 A Incorporates a "test and reset" button For flush mounting, back box to be min. 25 mm deep Nominal plate dimensions: 86 x 146 mm
		<b>RCD unit 2 gang - double pole - 30 mA</b>
		Active: Electrical latching trips on power failure
		Passive: Mechanical latching does not trip on power failure
		Active: Electrical latching trips on power failure
		Passive: Mechanical latching does not trip on power failure

Pack	Cat.Nos	<b>Fused connection units 13 A - 250 V~</b>
		Conform to BS 1363: Part. 4 Front cable outlet with cord grip Locked captive fuse carrier (padlockable) For flush mounting, back box to be min. 25 mm deep Nominal plate dimensions: 86 x 86 mm
		<b>Unswitched</b>
		With cord outlet
		Without cord outlet
		<b>Double pole-switched</b>
		With cord outlet
		Without cord outlet
		With red LED power indicator
		With red LED power indicator + cord outlet
		<b>Unswitched</b>
		With cord outlet
		Without cord outlet
		With red LED power indicator
		With red LED power indicator + cord outlet
		<b>Double pole-switched</b>
		With cord outlet
		Without cord outlet
		With red LED power indicator
		With red LED power indicator + cord outlet

# Synergy™ Traditional (continued)



7332 29



7330 19



7334 95



7332 52

### Front plates:

BSS: Electro plated brushed stainless steel with clear epoxy satin lacquer coating

PSS: Electro plated stainless steel with trivalent chrome for mirror finish

SB: Electro plated stainless steel with electrophoretic satin brass lacquer

Terminal screws captive and backed off ready for cabling

Pack	Cat.Nos	<b>Cooker control units - 250 V</b>
1	<div style="display: flex; justify-content: space-between;"> <div style="text-align: center;">  Brushed Stainless Steel 7330 29                 </div> <div style="text-align: center;">  Polished Stainless Steel 7332 29                 </div> </div>	<p>Conform to BS 4177: 1992 For flush mounting, back box to be min. 47 mm deep</p> <p><b>Nominal plate dimensions: 86 x 146 mm</b></p> <p>45 A DP switch +13 A DP switched socket outlet with red LED power indicator</p>
1	<div style="text-align: center;">  Satin Brass 7334 29                 </div>	<p>45 A DP switch +13 A DP switched socket outlet with red LED power indicator</p>

Pack	Cat.Nos	<b>Cable outlets</b>
1	<div style="display: flex; justify-content: space-between;"> <div style="text-align: center;">  Brushed Stainless Steel 7330 19                 </div> <div style="text-align: center;">  Polished Stainless Steel 7332 19                 </div> </div>	<p>Conform to BS 5733 Fitted clamp and outlet membrane Nominal plate dim. 86 x 86 mm</p> <p><b>20 A - 250 V</b></p> <p>With terminal block</p>
1	<div style="text-align: center;">  Satin Brass 7334 19                 </div>	<p>With terminal block</p>
1	<div style="display: flex; justify-content: space-between;"> <div style="text-align: center;">  Brushed Stainless Steel 7330 26                 </div> <div style="text-align: center;">  Polished Stainless Steel 7332 26                 </div> </div>	<p><b>45 A - 250 V</b></p> <p>With terminal block</p>
1	<div style="text-align: center;">  Satin Brass 7334 26                 </div>	<p>With terminal block</p>

Pack	Cat.Nos	<b>Accessories</b>
1	<div style="display: flex; justify-content: space-between;"> <div style="text-align: center;">  Brushed Stainless Steel 7330 95                 </div> <div style="text-align: center;">  Polished Stainless Steel 7332 95                 </div> </div>	<p><b>Blanking plates</b></p> <p>1 gang - 86 x 86 mm</p>
1	<div style="display: flex; justify-content: space-between;"> <div style="text-align: center;">  Brushed Stainless Steel 7330 96                 </div> <div style="text-align: center;">  Polished Stainless Steel 7332 96                 </div> </div>	<p>2 gang - 86 x 146 mm</p>
1	<div style="text-align: center;">  Satin Brass 7334 95                 </div>	<p>1 gang - 86 x 86 mm</p>
1	<div style="text-align: center;">  Satin Brass 7334 96                 </div>	<p>2 gang - 86 x 146 mm</p>
1	<div style="display: flex; justify-content: space-between;"> <div style="text-align: center;">  Brushed Stainless Steel 7330 52                 </div> <div style="text-align: center;">  Polished Stainless Steel 7332 52                 </div> </div>	<p><b>Cord outlets</b></p> <p>1 gang - 86 x 86 mm</p>
1	<div style="text-align: center;">  Satin Brass 7334 52                 </div>	<p>1 gang - 86 x 86 mm</p>

# Synergy™

Traditional for Mosaic Grid system




Selection chart (p. 504)

Pack	Cat.Nos	Carrier plates for Mosaic modules						
1	<table border="1"> <tr> <td></td> <td>Brushed Stainless Steel</td> <td>7330 91</td> </tr> <tr> <td></td> <td>Polished Stainless Steel</td> <td>7332 91</td> </tr> </table>		Brushed Stainless Steel	7330 91		Polished Stainless Steel	7332 91	<p>Can be directly equipped with Mosaic modules No additional yokes required</p> <p><b>Nominal plate dimensions: 86 x 86 mm</b></p> <p>1 gang for 1 Mosaic module</p>
	Brushed Stainless Steel	7330 91						
	Polished Stainless Steel	7332 91						
1	<table border="1"> <tr> <td></td> <td>Brushed Stainless Steel</td> <td>7330 92</td> </tr> <tr> <td></td> <td>Polished Stainless Steel</td> <td>7332 92</td> </tr> </table>		Brushed Stainless Steel	7330 92		Polished Stainless Steel	7332 92	<p>1 gang for 2 Mosaic modules</p>
	Brushed Stainless Steel	7330 92						
	Polished Stainless Steel	7332 92						
1	<table border="1"> <tr> <td></td> <td>Satin Brass</td> <td>7334 91</td> </tr> </table>		Satin Brass	7334 91	<p>1 gang for 1 Mosaic module</p>			
	Satin Brass	7334 91						
1	<table border="1"> <tr> <td></td> <td>Satin Brass</td> <td>7334 92</td> </tr> </table>		Satin Brass	7334 92	<p>1 gang for 2 Mosaic modules</p>			
	Satin Brass	7334 92						
1	<table border="1"> <tr> <td></td> <td>Brushed Stainless Steel</td> <td>7330 93</td> </tr> <tr> <td></td> <td>Polished Stainless Steel</td> <td>7332 93</td> </tr> </table>		Brushed Stainless Steel	7330 93		Polished Stainless Steel	7332 93	<p><b>Nominal plate dimensions: 86 x 146 mm</b></p> <p>2 gang for 3 Mosaic modules</p>
	Brushed Stainless Steel	7330 93						
	Polished Stainless Steel	7332 93						
1	<table border="1"> <tr> <td></td> <td>Brushed Stainless Steel</td> <td>7330 94</td> </tr> <tr> <td></td> <td>Polished Stainless Steel</td> <td>7332 94</td> </tr> </table>		Brushed Stainless Steel	7330 94		Polished Stainless Steel	7332 94	<p>2 gang for 4 Mosaic modules</p>
	Brushed Stainless Steel	7330 94						
	Polished Stainless Steel	7332 94						
1	<table border="1"> <tr> <td></td> <td>Satin Brass</td> <td>7334 93</td> </tr> </table>		Satin Brass	7334 93	<p>2 gang for 3 Mosaic modules</p>			
	Satin Brass	7334 93						
1	<table border="1"> <tr> <td></td> <td>Satin Brass</td> <td>7334 94</td> </tr> </table>		Satin Brass	7334 94	<p>2 gang for 4 Mosaic modules</p>			
	Satin Brass	7334 94						

Pack	Cat.Nos	Front plates for Mosaic modules						
1	<table border="1"> <tr> <td></td> <td>Brushed Stainless Steel</td> <td>7331 88</td> </tr> <tr> <td></td> <td>Polished Stainless Steel</td> <td>7333 88</td> </tr> </table>		Brushed Stainless Steel	7331 88		Polished Stainless Steel	7333 88	<p>To be equipped with yokes below</p> <p>2 x 2 gang for 8 Mosaic modules 146 x 146 mm</p>
	Brushed Stainless Steel	7331 88						
	Polished Stainless Steel	7333 88						
1	<table border="1"> <tr> <td></td> <td>Brushed Stainless Steel</td> <td>7331 90</td> </tr> <tr> <td></td> <td>Polished Stainless Steel</td> <td>7333 90</td> </tr> </table>		Brushed Stainless Steel	7331 90		Polished Stainless Steel	7333 90	<p>3 x 3 gang for 18 Mosaic modules 207 x 207 mm</p>
	Brushed Stainless Steel	7331 90						
	Polished Stainless Steel	7333 90						
1	<table border="1"> <tr> <td></td> <td>Satin Brass</td> <td>7335 88</td> </tr> </table>		Satin Brass	7335 88	<p>2 x 2 gang for 8 Mosaic modules 146 x 146 mm</p>			
	Satin Brass	7335 88						
1	<table border="1"> <tr> <td></td> <td>Satin Brass</td> <td>7335 90</td> </tr> </table>		Satin Brass	7335 90	<p>3 x 3 gang for 18 Mosaic modules 207 x 207 mm</p>			
	Satin Brass	7335 90						
10	7354 74	<p><b>Yokes for Mosaic front plates</b></p> <p>2 gang Use 2 yokes for 2 x 2 gang front plates Cat.Nos 7331 88, 7333 88 and 7335 88</p>						
15	7354 76	<p>3 gang Use 3 yokes for 3 x 3 gang front plates Cat.Nos 7331 90, 7333 90 and 7335 90</p>						

# Synergy™

Traditional for Mosaic Grid system (continued)



7331 80      7335 81      7335 91      7333 82      7335 85

Selection chart (p. 509)  
Grid modules (p. 506-507)


## Front plates for Grid modules

Pack	Cat.Nos	Material	Description
To be equipped with yokes (p. 508)			
<b>Architrave</b>			
1	7331 80	Brushed Stainless Steel	1 gang - 36 x 86 mm
1	7331 81	Polished Stainless Steel	2 gang - 36 x 146 mm
1	7335 80	Satin Brass	1 gang - 36 x 86 mm
1	7335 81	Satin Brass	2 gang - 36 x 146 mm
<b>1 gang - 86 x 86 mm</b>			
1	7331 91	Brushed Stainless Steel	1 small aperture
1	7331 92	Polished Stainless Steel	2 small apertures
1	7335 91	Satin Brass	1 small aperture
1	7335 92	Satin Brass	2 small apertures
<b>2 gang - 146 x 86 mm</b>			
1	7331 93	Brushed Stainless Steel	3 small apertures
1	7331 94	Polished Stainless Steel	4 small apertures
1	7335 93	Satin Brass	3 small apertures
1	7335 94	Satin Brass	4 small apertures
<b>2 x 2 gang - 146 x 146 mm</b>			
1	7331 82	Brushed Stainless Steel	6 small apertures
1	7331 83	Polished Stainless Steel	8 small apertures
1	7335 82	Satin Brass	6 small apertures
1	7335 83	Satin Brass	8 small apertures

## Front plates for Grid modules (continued)

Pack	Cat.Nos	Material	Description
To be equipped with yokes (p. 508)			
<b>3 x 2 gang - 207 x 146 mm</b>			
1	7331 84	Brushed Stainless Steel	9 small apertures
1	7331 85	Polished Stainless Steel	12 small apertures
1	7335 84	Satin Brass	9 small apertures
1	7335 85	Satin Brass	12 small apertures
<b>3 x 3 gang - 207 x 207 mm</b>			
1	7331 86	Brushed Stainless Steel	18 small apertures
1	7335 86	Satin Brass	18 small apertures
<b>4 x 3 gang - 267 x 207 mm</b>			
1	7331 87	Brushed Stainless Steel	24 small apertures
1	7335 87	Satin Brass	24 small apertures

# When only the toughest will do



Designed to take the rough with the smooth, Metalclad wiring accessories have a perfect flush fit with their surface mounting back boxes... the optimum solution for simple rugged performance.



One-gang one-way switch



Two gang switched socket outlet with red LED power indicator

- > Flush fit with specially designed back boxes
- > Back boxes also accept Synergy traditional wiring accessories for a decorative finish
- > Surface and flush mounting options
- > 3D contoured rockers with precision action mechanisms
- > Large angled terminal entries with screws supplied in backed-off position
- > Triple action safety shutter system



7338 00



7338 03



7338 21

Front plates: grey epoxy coated steel  
Terminal screws captive and backed off ready for cabling  
Supplied complete with close fit 43 mm deep surface mounting back box

**Single pole plate switches 10 AX - 250 V~**

Conform to BS EN 60669-1: 2000  
Flush mounting back box: min. 16 mm deep

**Nominal plate dimensions: 86 x 86 mm**

Pack	Cat.Nos	Switch Type
5	7338 00	1 gang - 1 way
5	7338 01	1 gang - 2 way
5	7338 05	1 gang - intermediate
5	7338 02	2 gang - 2 way
5	7338 03	3 gang - 2 way

**Double pole switches 20 A - 250 V~**

Conform to BS EN 60669-1: 2000  
Flush mounting back box: min. 25 mm deep

**Nominal plate dimensions: 86 x 86 mm**

Pack	Cat.Nos	Switch Type
5	7338 10	20 A DP
5	7338 14	20 A DP with cord outlet
5	7338 16	20 A DP with cord outlet + red LED power indicator
5	7338 12	20 A DP + red LED power indicator

**Double pole switches 45 A - 250 V~**

Conform to BS EN 60669-1: 2000  
Red rocker  
Flush mounting back box: min. 48 mm deep

**Nominal plate dimensions: 146 x 86 mm**

Pack	Cat.Nos	Switch Type
5	7338 20	45 A DP
5	7338 21	45 A DP + red power indicator



# Synergy™ Metalclad (continued)

**NEW**



7338 70



7338 71



7338 65



7338 89



7338 34



7338 37

Front plates: grey epoxy coated steel. Terminal screws captive and backed off ready for cabling  
Supplied complete with close fit 43 mm deep surface mounting back box

## Pack Cat.Nos Double pole socket outlets 13 A - 250 V~

Pack	Cat.Nos	Description
5	7338 60	Conform to BS 1363 - Part 2: 1995 Patented 3 pin safety shutters mechanism 2 earth terminals Flush mounting back box: min. 25 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> 1 gang - switched
5	7338 61	1 gang - switched + red LED power indicator
5	7338 70	<b>Nominal plate dimensions :86 x 146 mm</b> 2 gang - switched
5	7338 71	2 gang - switched + red LED power indicator

## Unswitched socket outlets 13 A - 250 V~

Pack	Cat.Nos	Description
5	7338 65	Conform to BS 1363 - Part 2: 1995 Patented 3 pin safety shutters mechanism 2 earth terminals Flush mounting back box: min. 25 mm deep Nominal plate dim.: 1 gang - 86 x 86 mm 2 gang - 86 x 146 mm 1 gang - unswitched
5	7338 75	2 gang - unswitched

## Socket outlets 15 A - 250 V~

Pack	Cat.Nos	Description
5	7338 88	Conform to BS 546: 1950 Patented 3 pin safety shutter mechanism Flush mounting back box: min. 35 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> 1 gang - unswitched
5	7338 89	1 gang - switched

## Pack Cat.Nos Fused connection units 13 A - 250 V~

Pack	Cat.Nos	Description
5	7338 34	Conform to BS 1363 - Part 4: 1995 Fused 13 A (fuse supplied) Fuse drawer retained by quarter turn catch, drawer padlockable in open position for safety Flush mounting back box: min. 25 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> Switched, DP
5	7338 35	Switched, DP with red LED power indicator
5	7338 36	Switched, DP with cord outlet
5	7338 37	Switched, DP with cord outlet + red LED power indicator
5	7338 30	Unswitched
5	7338 31	Unswitched with red LED power indicator
5	7338 32	Unswitched with cord outlet
5	7338 33	Unswitched with cord outlet + red LED power indicator

## RCD sockets 13 A - 250 V~

Pack	Cat.Nos	Description
1	7338 97	Conform to BS 7288: 1990 and BS 1363 - Part 2: 1995 Maximum operating current 16 A Incorporates a "test and reset" button Flush mounting back box: min. 25 mm deep RCD unit 2 gang DP 30 mA <b>Nominal plate dimensions: 86 x 146 mm</b> Active Electrical latching - trips on power failure
1	7338 98	Passive Mechanical latching - does NOT trip on power failure

**Synergy™**  
Metalclad (continued)

**Synergy™**  
Metalclad for Mosaic and Grid system



7338 40



7338 41




7338 50



7338 57



7338 92



7339 94



7354 90



7354 92

Front plates: grey epoxy coated steel  
Terminal screws captive and backed off ready for cabling  
Supplied complete with close fit 43 mm deep surface mounting back box



Selection chart for Mosaic and Grid system (p. 504)  
Grid modules (p. 506-507)  
Selection chart for Grid system (p. 509)

Pack	Cat.Nos	TV, radio and satellite sockets
5	7338 40	Flush mounting back box: min. 35 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> Screened TV - single, male
1	7338 41	Screened satellite - single, "F" type
<b>Telephone sockets</b>		
5	7338 50	Flush mounting back box: min. 35 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> Single master
5	7338 51	Single secondary
<b>Data sockets</b>		
1	7338 56	Cat. 6 compliant Rapid cable connection Flush mounting back box: min. 35 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> RJ 45 - single
1	7338 57	RJ 45 - double
<b>Cable outlet 20 A - 250 V~</b>		
5	7338 19	Conforms to BS 5733: 1995 Flush mounting back box: min. 25 mm deep <b>Nominal plate dimensions: 86 x 86 mm</b> 20 A - with terminal block and outlet gland
<b>Blanking plates</b>		
5	7338 95	1 gang - 86 x 86 mm
5	7338 96	2 gang - 86 x 146 mm

Pack	Cat.Nos	Carrier plates for Mosaic modules
5	7338 91	No additional yoke required 1 gang - 86 x 86 mm 1 Mosaic module
5	7338 92	1 gang - 86 x 86 mm 2 Mosaic modules
5	7338 93	2 gang - 86 x 146 mm 3 Mosaic modules
5	7338 94	2 gang - 86 x 146 mm 4 Mosaic modules
<b>1 and 2 gang plates for grid modules</b>		
1	7339 91	To be equipped with yokes below 1 gang - 86 x 86 mm 1 small aperture module
1	7339 92	1 gang - 86 x 86 mm 2 small aperture modules
1	7339 93	2 gang - 86 x 146 mm 3 small aperture modules
1	7339 94	2 gang - 86 x 146 mm 4 small aperture modules
<b>1 and 2 gang yokes for grid modules</b>		
10	7354 90	1 gang 1 module
10	7354 91	1 gang 2 modules
10	7354 92	2 gang 3/4 modules



**For complete range of grid front plates and modules**

**see p. 506 - 509**



# Ultimate flexibility and choice

In addition to the standard range of grid plates and accessories, Synergy also grants users the opportunity to benefit from the immense selection of functions in the Mosaic range of modular wiring devices... without compromising on style.



## ▼ FEATURES

- Available as part of every Synergy range
- 1-18 module options
- Combines with Mosaic modular devices to offer an unrivalled selection of functions



# Synergy™ grid system

for Mosaic modules

GRID SYSTEM	FRONT PLATES FOR MOSAIC MECHANISMS					
	1 gang	1 gang	2 gang	2 gang	2 x 2 gang	3 x 3 gang
FRONT PLATES	1 module	2 modules	3 modules	4 modules	8 modules	18 modules
	Clip-in carrier plate - No yoke required				Yoke required	
Dimensions (mm)	86 x 86	86 x 86	86 x 146	86 x 146	207 x 146	267 x 207
White	7300 91	7300 92	7300 93	7300 94	7301 88	7301 90
Traditional brushed stainless steel	7330 91	7330 92	7330 93	7330 94	7331 88	7331 90
Traditional polished stainless steel	7332 91	7332 92	7332 93	7332 94	7333 88	7333 90
Traditional satin brass	7334 91	7334 92	7334 93	7334 94	7335 88	7335 90
Metalclad	7338 91 <sup>(1)</sup>	7338 92 <sup>(1)</sup>	7338 93 <sup>(1)</sup>	7338 94 <sup>(1)</sup>	-	-
Dimensions (mm)	89 x 89 <sup>(2)</sup>	89 x 89 <sup>(2)</sup>	89 x 149 <sup>(2)</sup>	89 x 149 <sup>(2)</sup>	207 x 146	267 x 207
Modern silver	7310 91	7310 92	7310 93	7310 94	7311 88	7311 90
Modern nickel	7312 91	7312 92	7312 93	7312 94	7313 88	7313 90
Modern black nickel <sup>(3)</sup>	7314 91	7314 92	7314 93	7314 94	7315 88	7315 90
Modern matt black <sup>(3)</sup>	7316 91	7316 92	7316 93	7316 94	7317 88	7317 90
Modern brushed gold <sup>(3)</sup>	7318 91	7318 92	7318 93	7318 94	7321 88	7321 90
Dimensions (mm)	92 x 92 <sup>(2)</sup>	92 x 92 <sup>(2)</sup>	92 x 152 <sup>(2)</sup>	92 x 152 <sup>(2)</sup>		
Rope edge polished brass	7320 91	7320 92	7320 93	7320 94	Use 7337 88	Use 7337 90
<b>GRID YOKES</b>						
Grid yoke					2 x 7354 74	3 x 7354 76



**Complete offer of Mosaic range**

see p. 616-653

(1) Supplied with back box  
 (2) Screw free clip-on front plate

(3) Available January 2008



# The complete solution

Grid system can offer solutions from one to 24 module assemblies. Designed as a fully compatible extension to the core Synergy ranges, Grid also incorporates decorative rockers to match Modern and Rope edge finishes.



## ▼ FEATURES

- Available as part of every Synergy range
- 1-24 gang options
- 3D contoured rockers with precision action mechanisms
- Complete choice of functions, including electronic and VDI modules
- Available with matching rockers and a selection of standard rocker markings (see page 506)

# Synergy™ grid system

decorative rockers and rocker markings

## DECORATIVE ROCKERS TO MATCH SYNERGY MODERN AND ROPE EDGE RANGES

DECORATIVE ROCKERS	MODERN SILVER	MODERN NICKEL	ROPE EDGE BRASS
			
FUNCTIONS			
10 AX switch 1 x 1 way	7395 04	7395 03	7395 05
10 AX switch 1 x 2 way	7395 08	7395 07	7395 06
10 AX switch 1 x intermediate	7395 01	7395 00	7395 02
10 A push switch 1 x 2 way	7395 14	7395 12	7395 13
20 AX SP switch 1 way	7396 79	7396 80	7396 78
20 AX SP switch 2 way	7396 83	7396 82	7396 81
20 AX SP switch 2 way centre off	7396 86	7396 84	7396 85
20 AX SP switch 2 way retractive centre off	7396 93	7396 92	7396 94
20 AX SP push switch 2 way	7396 88	7396 87	7396 89
20 AX SP intermediate switch	7396 96	7396 95	7396 97
20 AX DP switch	7395 98	7396 13	7396 25
20 AX DP push to make switch	7396 39	7396 38	7396 37

## GRID MODULES WITH STANDARD APPLIANCE MARKINGS

MODULES	20 AX DP SWITCH		20 AX DP SWITCH + POWER INDICATOR	
	White	Anthracite	White	Anthracite
				
ROCKER MARKINGS				
BOILER	7396 30	7396 21	7396 45	7396 43
COOKER HOOD	7396 27	7396 17	7396 42	7396 46
DISH WASHER	7396 29	7396 03	7396 48	7396 40
EXTRACTOR	7395 95	7396 02	7396 47	7396 44
EXTRACTOR FAN	7396 04	7396 09	7396 49	7396 41
EXTRACTOR HOOD	7396 00	7396 15	7396 53	7396 68
FAN	7396 11	7396 20	7396 55	7396 71
FREEZER	7396 06	7396 16	7396 73	7396 67
FRIDGE	7395 94	7396 01	7396 75	7396 74
FRIDGE FREEZER	7395 99	7396 05	7396 52	7396 59
HEATER	7396 31	7396 28	7396 54	7396 72
HOB	7396 23	7396 10	7396 58	7396 50
HOOD	7396 19	7396 22	7396 61	7396 62
MICROWAVE	7396 26	7396 08	7396 64	7396 65
OVEN	7396 34	7396 18	7396 63	7396 60
TUMBLE DRYER	7396 24	7396 32	7396 66	7396 56
WASHING MACHINE	7396 33	7395 97	7396 51	7396 57
WASTE DISPOSAL	7395 96	7396 07	7396 76	7396 77
WATER HEATER	7396 12	7396 14	7396 70	7396 69

# Synergy™

## Grid modules



7354 00      7355 00      7354 21      7355 21      7355 48      7354 47      7354 50      7353 65

Pack	Cat.Nos		
	●	●	
	White	Anthracite	
10	7354 00	7355 00	Conform to BS EN 60669-1
10	7354 01	7355 01	1 way
10	7354 03	7355 03	1 way + neon
10	7354 07	7355 07	2 way
10	7354 05	7355 05	Intermediate
10	7354 06	7355 06	2 way push switch
10			2 way push switch marked "BELL"

Pack	Cat.Nos		
	●	●	
	White	Anthracite	
10	7354 10	7355 10	Conform to BS EN 60669-1
10	7354 11	7355 11	1 way
10	7354 12	7355 12	1 way + neon
10	7354 18	7355 18	2 way
10	7354 13	7355 13	Intermediate
10	7354 14	7355 14	2 way centre off
10	7354 15	7355 15	2 way retractive centre off
10			2 way push switch

Pack	Cat.Nos		
	●	●	
	White	Anthracite	
10	7354 16	7355 16	Conform to BS EN 60669-1
10	7354 17	7355 17	Key supplied
10	7354 19	7355 19	2 way
			2 way retractive centre off
			Intermediate

Pack	Cat.Nos		
	●	●	
	White	Anthracite	
10	7354 20	7355 20	Conform to BS EN 60669-1
10	7354 21	7355 21	Switch
10	7354 22	7355 22	Switch + neon
10	7354 25	7355 25	Push to make
			Push to break

Pack	Cat.Nos		
	●	●	
	White	Anthracite	
10	7354 23	7355 23	Conform to BS EN 60669-1
10	7354 24	7355 24	Key supplied
			Key switch
			Key switch + neon

Pack	Cat.Nos		
	●	●	
	White	Anthracite	
1	7354 46	7355 46	Conform to BS EN 60669-2-1
1	7354 48	7355 48	Rotary dimming and push on/off
			2 way - 300 W - push dimmer
			2 way rotary dimmer - for H.F. ballasts 400 W

Pack	Cat.Nos		
	●	●	
	White	Anthracite	
1	7354 47	7355 47	300 W

Pack	Cat.Nos		
	●	●	
	White	Anthracite	
10	7354 50	7355 50	BT master
1	7354 51	7355 51	BT secondary

Pack	Cat.Nos		
	●	●	
	White	Anthracite	
10	7352 56	7353 56	RJ 45 - 8 contacts - cat. 6


Pack	Cat.Nos		
	●	●	
	White	Anthracite	
10	7354 40	7355 40	Screened TV single, male
10	7354 41	7355 41	Screened SAT

Pack	Cat.Nos		
	●	●	
	White	Anthracite	
10	7352 65	7353 65	Hi-Fi loudspeaker socket

Pack	Cat.Nos		
	●	●	
	White	Anthracite	
10	7350 30	7351 30	Fuse carrier
10	7350 31	7351 31	Fuse carrier with screwless terminals

Pack	Cat.Nos		
	●	●	
	White	Anthracite	
10	7350 62	7351 62	Indicator - green neon
10	7350 60	7351 60	Indicator - red neon
20	7354 36	7355 36	Blanking plate
10	7354 35	7355 35	Cable outlet

## Synergy™ yokes for Grid modules



7354 95      7354 90      7354 92

## Synergy™ surface mounting boxes



7364 06      7364 11

Pack	Cat.Nos	Yokes - for Grid modules
10	7354 95	<b>For white and Traditional finishes</b> For architrave - 1 gang
10	7354 96	For architrave - 2 gang
10	7354 90	For 1 gang - 1 module
10	7354 91	For 1 gang - 2 modules
10	7354 92	For 2 gang - 3/4 modules
10	7354 93	For 3 gang - 6 modules
10	7354 81	<b>For Modern and Rope edge finishes</b> For 1 gang - 1/2 modules
10	7354 82	For 2 gang - 3/4 modules

Pack	Cat.Nos	Metal surface boxes
		With knockout - 43 mm deep
10	7364 00	1 gang
5	7364 01	2 gang

Pack	Cat.Nos	Plastic surface boxes
		Only for white finish
		<b>Architrave</b>
10	7364 05	1 gang - 25 mm deep; 36.4 x 86 mm
5	7364 04	2 gang - 25 mm deep; 36.4 x 146,3 mm
		<b>1 gang - 86 x 86 mm</b>
10	7364 06	1 gang - 35 mm deep
10	7364 07	1 gang - 47 mm deep - with cord grip
		<b>2 gang - 86 x 146 mm</b>
5	7364 10	2 gang - 35 mm deep
5	7364 11	2 gang - 47 mm deep - with cord grip
		<b>2 x 1 gang - 86 x 172 mm</b>
5	7364 13	2 x 1 gang - 35 mm deep



# Synergy™ Grid system

GRID MODULES	ARCHITRAVES		FRONT PLATES WITH SMALL APERTURES			
	1 gang	2 gang	1 gang		2 gang	
FRONT PLATES	1 module	2 modules	1 module	2 modules	3 modules	4 modules
Dimensions (mm)	86 x 36	146 x 36	86 x 86	86 x 86	86 x 146	86 x 146
White	7301 80	7301 81	7301 91	7301 92	7301 93	7301 94
Traditional brushed stainless steel	7331 80	7331 81	7331 91	7331 92	7331 93	7331 94
Traditional polished stainless steel	7333 80	7333 81	7333 91	7333 92	7333 93	7333 94
Traditional satin brass	7335 80	7335 81	7335 91	7335 92	7335 93	7335 94
Metalclad	-	-	7339 91	7339 92	7339 93	7339 94
Dimensions (mm)	-	-	89 x 89 <sup>(1)</sup>	89 x 89 <sup>(1)</sup>	89 x 149 <sup>(1)</sup>	89 x 149 <sup>(1)</sup>
Modern silver	-	-	7311 91	7311 92	7311 93	7311 94
Modern nickel	-	-	7313 91	7313 92	7313 93	7313 94
Modern black nickel <sup>(1)</sup>	-	-	7315 91	7315 92	7315 93	7315 94
Modern matt black <sup>(1)</sup>	-	-	7317 91	7317 92	7317 93	7317 94
Modern brushed gold <sup>(1)</sup>	-	-	7319 91	7319 92	7319 93	7319 94
Dimensions (mm)	-	-	92 x 92 <sup>(2)</sup>	92 x 92 <sup>(2)</sup>	92 x 152 <sup>(2)</sup>	92 x 152 <sup>(2)</sup>
Rope edge	-	-	7321 91	7321 92	7321 93	7321 94
GRID YOKES	1 x	1 x	1 x	1 x	1 x	1 x
For White, Traditional and Metalclad	7354 95	7354 96	7354 90	7354 91	7354 92	7354 92
For Modern and Rope edge	-	-	7354 81	7354 81	7354 82	7354 82

GRID MODULES	FRONT PLATES WITH SMALL APERTURES					
	2 x 2 gang		3 x 2 gang		3 x 3 gang	4 x 3 gang
FRONT PLATES	6 modules	8 modules	9 modules	12 modules	18 modules	24 modules
Dimensions (mm)	146 x 146	146 x 146	207 x 146	207 x 146	267 x 206	267 x 206
White	7301 82	7301 83	7301 84	7301 85	7301 86	7301 87
Traditional brushed stainless steel	7331 82	7331 83	7331 84	7331 85	7331 86	7331 87
Traditional polished stainless steel	7333 82	7333 83	7333 84	7333 85	7333 86	7333 87
Traditional satin brass	7335 82	7335 83	7335 84	7335 85	7335 86	7335 87
Metalclad	7339 82	7339 83	7339 84	7339 85	7339 86	7339 87
Dimensions (mm)	146 x 146	146 x 146	-	-	-	-
Modern silver	7311 82	7311 83	-	-	-	-
Modern nickel	7313 82	7313 83	-	-	-	-
Modern black nickel <sup>(1)</sup>	7315 82	7315 83	-	-	-	-
Modern matt black <sup>(1)</sup>	7317 82	7317 83	-	-	-	-
Modern brushed gold <sup>(1)</sup>	7321 82	7321 83	-	-	-	-
Dimensions (mm)	146 x 146	146 x 146	207 x 146	207 x 146	267 x 206	267 x 206
Rope edge	7337 82	7337 83	7337 84	7337 85	7337 86	7337 87
GRID YOKES	2 x	2 x	3 x	3 x	3 x	4 x
For White, Traditional and Metalclad	2 x 7354 92	2 x 7354 92	3 x 7354 92	3 x 7354 92	3 x 7354 93	4 x 7354 93
For Modern and Rope edge brass	2 x 7354 92	2 x 7354 92	3 x 7354 92	3 x 7354 92	3 x 7354 93	4 x 7354 93

BOXES						
Flush mounting	818 52	818 52	818 53	818 53	818 54	818 55
Flush mounting with phase barriers	-	-	818 57	818 57	818 58	818 59
Surface mounting, steel with knockouts	7364 18	7364 18	7364 28	7364 28	-	-
Surface mounting steel without knockouts	7364 22	7364 22	7364 32	7364 32	-	-

(1) Available January 2008

(2) Screw free clip-on front plate